



Get Your Bespoke Office Design Today

We'll Get You The Right Office Furniture

Call Now (856)-368-9085

Call Now To Order (856) 368-9085

50% OFF Sale On Now

Nationwide Delivery and Installation

Office Doctor Discount Office Furniture

www.OfficeDr.com 856-368-9085

Groupe Lacasse Half Price Sale On Now

Take Half Off the List Prices in this PDF











Call 856-368-9085 Now

Free Layout & Design Service











Accessories

ACCESSORIES

A WIDE RANGE OF ACCESSORIES THAT CAN BE USED WITH ALL LACASSE LAMINATE FURNITURE COLLECTIONS.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Sliding keyboard trays	<i>Molded plastic on wood. Height adjustment 3", 3½", 4" (76, 89, 102 mm). Locks in extended position.</i>			
	28 ³ / ₈ x 15 x 3 ¹ / ₂	721 x 381 x 89	LGC-SKD27	 294
Self-adhesive wrist rest	18 ¹ / ₂ x 1 ¹ / ₂ x ¾	470 x 38 x 19	LGC-WRKD	114
				
Corner keyboard supports	<i>Fits in the angle between 2 work surfaces. Anthracite Grey metal. For 1" thick surfaces</i>			
	20 x 11 ¹ / ₂ x 1 ¹ / ₄	500 x 282 x 30	LGC-CORSUP1	276
	<i>For 1½" thick surfaces</i>			
	20 x 11 ¹ / ₂ x 1 ¹ / ₄	500 x 282 x 46	LGC-CORSUP1.5	327
Rotating trays to install under the work surface	8 ¹ / ₂ x 7 ¹ / ₂ x 1	226 x 190 x 26	LGC-R09	66
	13 ³ / ₄ x 8 ¹ / ₄ x 1 ³ / ₈	346 x 208 x 34	LGC-R014	 66
				
Drawer pencil tray	<i>Black plastic. Fits inside a box drawer, on left or right side.</i>			
	8 ⁷ / ₈ x 6 x 7 ⁷ / ₈	236 x 152 x 22	LGC-PH	66
Drawers for small objects	<i>Black plastic drawer front.</i>			
	20 x 16 ¹ / ₂ x 2 ¹ / ₂	500 x 419 x 64	LGC-DR20P	 237
CPU support	<i>Black metal CPU support. Mounts under a surface. Hardware included. Adjusts to CPU.</i>			
	5 ¹ / ₂ - x 10 x 17 ¹ / ₂ - 9 ³ / ₄ 22	140- x 250 x 437- 245 550	LGC-CCPU	244




Monitor arms must be used in accordance with the technical specifications (screen dimensions and max. weight) and exclusively above the surface. The use of the monitor arm extending outside the surface is not recommended. This is valid for all monitor arms, with or without knife edge adaptor.


	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Essential single monitor arm with docking station	<i>Double extension monitor arm to support a screen. Docking station included. Silver or black finish. See technical specifications guide for conditions of use.</i>			
	20 ¹¹ / ₁₆ x 19 ¹ / ₁₆	525 x 485	LGC-SUPE1A2SED_	 710
	Specify finish (K, S).			
Essential double monitor arms with docking station	<i>Two double extension monitor arms to support two screens. Docking station included. Silver or black finish. See technical specifications guide for conditions of use.</i>			
	20 ¹¹ / ₁₆ x 19 ⁵ / ₁₆	525 x 490	LGC-SUPE2A2SED_	 1,038
	Specify finish (K, S).			
Select single monitor arm	<i>Monitor arm for one screen. Locks at 180°, compatible with height adjustable tables. Silver or black finish. See technical specifications guide for conditions of use.</i>			
	11 ¹ / ₈ x 10 ¹¹ / ₁₆	283 x 272	LGC-SUPE1A1SSN_	 593
	Specify finish (K, S).			
Select double monitor arms	<i>Two double monitor arms. Locks at 180°, compatible with height adjustable tables. Silver or black finish. See technical specifications guide for conditions of use.</i>			
	13 ³ / ₈ x 12 ⁹ / ₁₆	333 x 310	LGC-SUPE2A1SSN_	 1,019
	Specify finish (K, S).			
Adaptor for knife edge	<i>Allows an easy and secure installation of Essential and Select monitor arms on knife edge surfaces.</i>			
	2 ¹ / ₄ x 3 ¹⁵ / ₁₆ x 2 ¹¹ / ₆₄	57 x 100 x 55	LGC-SUPEKEAK_	 85

 = ASSEMBLY REQUIRED

 = QUICKSHIP PROGRAM




USA - FEBRUARY 2025

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Electronic fluorescent task lights 	<i>Electronic tubes are more efficient and do not cause interference. Electronic ballast T5 - 4100K, 19": 10W, 25": 14W, 37": 21W, 49": 28W. 160-degree swivel to orient the light. ETL Certification (UL / CSA equivalent). 9' cord included. Black.</i>			
	18 ⁷ / ₈ x 3 ³ / ₈ x 1	480 x 85 x 26	LGC-T5LE19	294
	24 ¹ / ₈ x 3 ³ / ₈ x 1	626 x 85 x 26	LGC-T5LE25	 327
	36 ¹ / ₂ x 3 ³ / ₈ x 1	927 x 85 x 26	LGC-T5LE37	361
	48 ¹ / ₄ x 3 ³ / ₈ x 1	1226 x 85 x 26	LGC-T5LE49	 404




	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
LED task lights 	<i>Clear anodized aluminum housing with white end caps. Touch-and-hold dimmer. Brightness adjustability 100%-15% continuous. 10 hours automatic turn off. 4100K, 84 CRI. 17": 6.6W/24 LED, 31": 14.8W/48 LED, 44": 21.8W/72 LED. ETL Certification (UL / CASA equivalent). 9' (17") or 12' (31"-44") cord included. Fully recyclable aluminum housing.</i>			
	16 ¹ / ₂ x 2 x ³ / ₅	417 x 50 x 14	LGC-LED17	462
	24 ¹ / ₈ x 2 x ³ / ₅	765 x 50 x 14	LGC-LED31	578
	36 ⁷ / ₈ x 2 x ³ / ₅	1100 x 50 x 14	LGC-LED44	1,056

Fabrics for screens and tackboards
These prices are applicable for Grade 1 and 2 fabrics. For other grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%.

Tackboards for hutches
Tackboards and rails for hutches may be combined to optimize storage space with the accessories.

	44" H hutches		36" H hutches		
 All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.	19" H tackboard		—		
	15" H tackboard + 1 rail		15" H tackboard		
	11" H tackboard + 2 rails		11" H tackboard + 1 rail		
	19" (480 mm) high.				
	82 x 1/2 x 19	2045 x 13 x 480	LGC-TK8219E		603
	76 x 1/2 x 19	1895 x 13 x 480	LGC-TK7619E		586
	70 x 1/2 x 19	1745 x 13 x 480	LGC-TK7019E		571
	64 x 1/2 x 19	1595 x 13 x 480	LGC-TK6419E		553
	58 x 1/2 x 19	1445 x 13 x 480	LGC-TK5819E		538
	52 x 1/2 x 19	1295 x 13 x 480	LGC-TK5219E		518
	46 x 1/2 x 19	1145 x 13 x 480	LGC-TK4619E		503
	40 x 1/2 x 19	995 x 13 x 480	LGC-TK4019E		488
	34 x 1/2 x 19	845 x 13 x 480	LGC-TK3419E		469


Specify the fabric code at the end of the product code.

	15" (380 mm) high.		
Tackboards for hutches (con't)	82 x 1/2 x 15	2045 x 13 x 380	LGC-TK8215E  586
	76 x 1/2 x 15	1895 x 13 x 380	LGC-TK7615E  571
	70 x 1/2 x 15	1745 x 13 x 380	LGC-TK7015E  553
	64 x 1/2 x 15	1595 x 13 x 380	LGC-TK6415E 538
	58 x 1/2 x 15	1445 x 13 x 380	LGC-TK5815E 518
	52 x 1/2 x 15	1295 x 13 x 380	LGC-TK5215E 503
	46 x 1/2 x 15	1145 x 13 x 380	LGC-TK4615E 488
	40 x 1/2 x 15	995 x 13 x 380	LGC-TK4015E 469
	34 x 1/2 x 15	845 x 13 x 380	LGC-TK3415E 454

Specify the fabric code at the end of the product code.


	11" (280 mm) high.		
	82 x 1/2 x 11	2045 x 13 x 280	LGC-TK8211E 571
	76 x 1/2 x 11	1895 x 13 x 280	LGC-TK7611E 553
	70 x 1/2 x 11	1745 x 13 x 280	LGC-TK7011E 538
	64 x 1/2 x 11	1595 x 13 x 280	LGC-TK6411E 518
	58 x 1/2 x 11	1445 x 13 x 280	LGC-TK5811E 503
	52 x 1/2 x 11	1295 x 13 x 280	LGC-TK5211E 488
	46 x 1/2 x 11	1145 x 13 x 280	LGC-TK4611E 469
	40 x 1/2 x 11	995 x 13 x 280	LGC-TK4011E 454
	34 x 1/2 x 11	845 x 13 x 280	LGC-TK3411E 434

Specify the fabric code at the end of the product code.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Metal hanging rails for hutches 	<i>To be fixed to a hutch to receive accessory trays. Mounting hardware included.</i>			
	82 x 3/4 x 4	2045 x 19 x 100	LGC-RA82E	302
	76 x 3/4 x 4	1895 x 19 x 100	LGC-RA76E	294
	70 x 3/4 x 4	1745 x 19 x 100	LGC-RA70E	287
	64 x 3/4 x 4	1595 x 19 x 100	LGC-RA64E	276
	58 x 3/4 x 4	1445 x 19 x 100	LGC-RA58E	266
	52 x 3/4 x 4	1295 x 19 x 100	LGC-RA52E	260
	46 x 3/4 x 4	1145 x 19 x 100	LGC-RA46E	252
	40 x 3/4 x 4	995 x 19 x 100	LGC-RA40E	244
	34 x 3/4 x 4	845 x 19 x 100	LGC-RA34E	237

Specify the accent color (A, S).

Wall-mounted tackboards
Tackboards and wall-mounted hanging rails may be combined to optimize storage space with the accessories.

	21" H tackboard			
 All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.	17" H tackboard + 1 rail			
	13" H tackboard + 2 rails			
	21" (540 mm) high.			
	84 x 1/2 x 21	2100 x 13 x 540	LGC-TK8421M	629
	78 x 1/2 x 21	1950 x 13 x 540	LGC-TK7821M	603
	72 x 1/2 x 21	1800 x 13 x 540	LGC-TK7221M	586
	66 x 1/2 x 21	1650 x 13 x 540	LGC-TK6621M	571
	60 x 1/2 x 21	1500 x 13 x 540	LGC-TK6021M	553
	54 x 1/2 x 21	1350 x 13 x 540	LGC-TK5421M	538
	48 x 1/2 x 21	1200 x 13 x 540	LGC-TK4821M	518
	42 x 1/2 x 21	1050 x 13 x 540	LGC-TK4221M	503
	36 x 1/2 x 21	900 x 13 x 540	LGC-TK3621M	488


Specify the fabric code at the end of the product code.

	17" (440 mm) high.		
	84 x 1/2 x 17	2100 x 13 x 440	LGC-TK8417M 603
	78 x 1/2 x 17	1950 x 13 x 440	LGC-TK7817M 586
	72 x 1/2 x 17	1800 x 13 x 440	LGC-TK7217M 571
	66 x 1/2 x 17	1650 x 13 x 440	LGC-TK6617M 553
	60 x 1/2 x 17	1500 x 13 x 440	LGC-TK6017M 538
	54 x 1/2 x 17	1350 x 13 x 440	LGC-TK5417M 518
	48 x 1/2 x 17	1200 x 13 x 440	LGC-TK4817M 503
	42 x 1/2 x 17	1050 x 13 x 440	LGC-TK4217M 488
	36 x 1/2 x 17	900 x 13 x 440	LGC-TK3617M 469


Specify the fabric code at the end of the product code.

	13" (340 mm) high.		
	84 x 1/2 x 13	2100 x 13 x 340	LGC-TK8413M 586
	78 x 1/2 x 13	1950 x 13 x 340	LGC-TK7813M 571
	72 x 1/2 x 13	1800 x 13 x 340	LGC-TK7213M 553
	66 x 1/2 x 13	1650 x 13 x 340	LGC-TK6613M 538
	60 x 1/2 x 13	1500 x 13 x 340	LGC-TK6013M 518
	54 x 1/2 x 13	1350 x 13 x 340	LGC-TK5413M 503
	48 x 1/2 x 13	1200 x 13 x 340	LGC-TK4813M 488
	42 x 1/2 x 13	1050 x 13 x 340	LGC-TK4213M 469

Specify the fabric code at the end of the product code.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Wall-mounted metal hanging rails	<i>To be fixed to a wall to receive accessory trays. Mounting hardware included.</i>			
	84 x ¾ x 4	2100 x 19 x 100	LGC-RA84M_	310
	78 x ¾ x 4	1950 x 19 x 100	LGC-RA78M_	302
	72 x ¾ x 4	1800 x 19 x 100	LGC-RA72M_	294
	66 x ¾ x 4	1650 x 19 x 100	LGC-RA66M_	287
	60 x ¾ x 4	1500 x 19 x 100	LGC-RA60M_	276
	54 x ¾ x 4	1350 x 19 x 100	LGC-RA54M_	266
	48 x ¾ x 4	1200 x 19 x 100	LGC-RA48M_	260
	42 x ¾ x 4	1050 x 19 x 100	LGC-RA42M_	252
	36 x ¾ x 4	900 x 19 x 100	LGC-RA36M_	244
	Specify the accent color (A, S).			

TACKBOARDS FOR ACCESSORY BRACKETS



All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.

Mounts to the accessory brackets LGC-SUPAC_ / LGC-SUPL_. Compatible with units having full-width wire access or spacing between surface and base (Quad, Morpheo and Options).

These prices are applicable for Grade 1 and 2 fabrics. For other grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%.

	71 x 1½ x 17	1778 x 36 x 442	LGC-TK7217_	896
	65 x 1½ x 17	1628 x 36 x 442	LGC-TK6617_	873
	59 x 1½ x 17	1478 x 36 x 442	LGC-TK6017_	830
	53 x 1½ x 17	1328 x 36 x 442	LGC-TK5417_	804
	47 x 1½ x 17	1178 x 36 x 442	LGC-TK4817_	753
	41 x 1½ x 17	1028 x 36 x 442	LGC-TK4217_	729
	35 x 1½ x 17	878 x 36 x 442	LGC-TK3617_	704
	29 x 1½ x 17	728 x 36 x 442	LGC-TK3017_	671
	23 x 1½ x 17	578 x 36 x 442	LGC-TK2417_	645
	71 x 1½ x 8½	1778 x 36 x 213	LGC-TK7208_	679
	65 x 1½ x 8½	1628 x 36 x 213	LGC-TK6608_	654
	59 x 1½ x 8½	1478 x 36 x 213	LGC-TK6008_	629
	53 x 1½ x 8½	1328 x 36 x 213	LGC-TK5408_	593
	47 x 1½ x 8½	1178 x 36 x 213	LGC-TK4808_	546
	41 x 1½ x 8½	1028 x 36 x 213	LGC-TK4208_	510
	35 x 1½ x 8½	878 x 36 x 213	LGC-TK3608_	488
	29 x 1½ x 8½	728 x 36 x 213	LGC-TK3008_	462
	23 x 1½ x 8½	578 x 36 x 213	LGC-TK2408_	434


Specify the accent code (A, S). Specify the fabric code at the end of the product code.


Short accessory brackets (2)	1½ x 4 x 11	38 x 100 x 284	LGC-SUPAC_	211
	Specify the accent color (A, S).			





Long accessory brackets (2)	1½ x 4 x 20	38 x 100 x 513	LGC-SUPAL_	211
	Specify the accent color (A, S).			





Hanging rail	<i>Mounts to the accessory brackets.</i>			
	71 x 1½ x 8½	1778 x 36 x 213	LGC-RA72_	510
	65 x 1½ x 8½	1628 x 36 x 213	LGC-RA66_	477
	59 x 1½ x 8½	1478 x 36 x 213	LGC-RA60_	444
	53 x 1½ x 8½	1328 x 36 x 213	LGC-RA54_	412
	47 x 1½ x 8½	1178 x 36 x 213	LGC-RA48_	361
	41 x 1½ x 8½	1028 x 36 x 213	LGC-RA42_	327
	35 x 1½ x 8½	878 x 36 x 213	LGC-RA36_	294
	29 x 1½ x 8½	728 x 36 x 213	LGC-RA30_	260
	23 x 1½ x 8½	578 x 36 x 213	LGC-RA24_	216
	Specify the accent color (A, S).			


Horizontal paper trays	<i>Metal. Compatible with all Lacasse's accessory rails.</i>			
	<i>Letter size.</i>			
	12 x 2 x 10	305 x 50 x 251	LGC-RPT11_	136
	<i>Legal size.</i>			
	15 x 2 x 10	375 x 50 x 251	LGC-RPT14_	152
	Specify the accent color (A, S).			


	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Vertical paper tray	<i>Metal. 2¼" (68 mm) clear depth. Compatible with all Lacasse's accessory rails.</i>			
	12 x 8 x 2¼	300 x 68 x 70	LGC-RVPT11_	166
	Specify the accent color (A, S).			


Accessory trays	<i>Metal. Compatible with all Lacasse's accessory rails.</i>			
	12 x 1¼ x 3⅞	305 x 30 x 96	LGC-RAS12_	114
	20 x 1¼ x 3⅞	505 x 30 x 96	LGC-RAS20_	141
	Specify the accent color (A, S).			


Adhesive wire channels	<i>Self-adhesive. Can hold most power bars.</i>			
	68 x 2¼ x 3¼	1700 x 60 x 80	LGC-HWMC72_	166
	44 x 2¼ x 3¼	1100 x 60 x 80	LGC-HWMC48_	141
	20 x 2¼ x 3¼	500 x 60 x 80	LGC-HWMC24_	114
	Specify the accent color (A, S).			


Vertical pigeonholes	<i>21" H – 6 compartments, 17" H – 5 compartments.</i>			
	<i>Legal size.</i>			
	18 x 12 x 20¼	449 x 311 x 515	LGC-DV1821	645
	18 x 12 x 17¾	449 x 311 x 442	LGC-DV1817	603
	<i>Letter size.</i>			
	12 x 12 x 20¼	299 x 311 x 515	LGC-DV1221	586
	12 x 12 x 17¾	299 x 311 x 442	LGC-DV1217	546

Grommets	<i>Round or square in various dimensions supplied in accordance with the standards of furniture series ordered.</i>			
	<i>Black for Concept 70, 300, 400E</i>		LGC-GRV25N	45
	<i>For Options, Morpheo, Concept 3 (1")</i>		LGC-GRQ25_	45
	Specify the accent code (N,S).			


Cushions for mobile pedestals	<i>Installs on 20" (500 mm) storage units or mobile pedestal with self-fastening band. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.</i>			
	15 x 18 x 1¾	388 x 450 x 35	LGC-CU1518	344
	Specify the fabric code at the end of the product code.			

Front-to-back suspension bars	<i>Suspension bars for all laminate lateral file drawers. Allows front-to-back filing.</i>			
	15¼ x 6 x 1¼	384 x 152 x 32	LGC-FTB2	53
	15¼ x 6 x 1¼	384 x 152 x 32	LGC-FTB4	106


Counterweight	<i>Prevents lateral file from tipping over when top drawer is overloaded. To meet BIFMA standards, order 1 counterweight for 24" deep and 2 for 20" deep lateral file.</i>			
	13 x 4 x 4	330 x 100 x 100	LGC-CW	175

Flush plate	<i>To link and level two surfaces. 10 per package. Black metal.</i>			
	7 x 1½ x ¼	175 x 38 x 3	LGC-FLP	93

Footrest	<i>Adjustable foot support. Tilt angles of 6°, 12°, 16° and 25°. Anti-fatigue rubber surface on platform. Black with grey accents.</i>			
	16 x 14 x 3-5	405 x 350 x 75-125	LGC-FR	192


Coat hook	<i>Stainless steel finish. Hardware included. Can be fixed to wall or other surface.</i>			
	2¾ x ¾ x 1½	60 x 20 x 35	LGC-CH	109

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Work surface reinforcement bar	<i>Metal black.</i>			
	54 x 2 x 1	1372 x 51 x 25	LGC-BAR	114



ELECTRICAL AND COMMUNICATION MODULES


Removable electrical / communication module	<i>3 electrical outlets. Can accommodate the couplers listed on this page. 72" (1829 mm) cord included. Silver anodized aluminum. UL and CUL certified.</i>			
	10 x 5½ x 3	255 x 140 x 75	LGC-PCS	518



Half electrical module	<i>2 electrical outlets. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified.</i>			
	4⅞ x 4¼ x 3	120 x 106 x 75	LGC-HPC	344



Electrical / communication module	<i>Includes two electrical outlets. Can accommodate the couplers listed on this page. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified. Adaptors included.</i>			
	8¼ x 4 ⅞ x 3	212 x 110 x 75	LGC-PC2P	586




Double-sided electrical / communication module	<i>Includes two electrical outlets on each side. Can accommodate the couplers listed on this page. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified. Adaptors included.</i>			
	8¼ x 8 x 3	206 x 200 x 75	LGC-DPC4P	1,038




Flush-mount rectangular electrical / communication module	<i>Includes two electrical outlets and two 2.1A USB ports. 120VAC power outlet. Spill resistant. 108" (2743 mm) cord included. Mounting screw included. Silver. Field installed. ETL certified.</i>			
	6¼ x 2 ½ x 3 ⅞	159 x 64 x 79	LGC-PCQ1USB2P	642



Grommet-mounted flush rectangular electrical / communication module	<i>Includes one electrical outlet and two 2.1A USB ports. Compatible with the rectangular Lacasse grommet hole. 120VAC power outlet. Spill resistant. 108" (2743 mm) cord included. Mounting screw included. Silver. Field installed. ETL certified.</i>			
	3¾ x 2 ¼ x 3 ⅞	95 x 57 x 79	LGC-PCQ1USB1P	568



Flush-mount round electrical / communication module	<i>Includes two electrical outlets and two 2.1A USB ports. 120VAC power outlet. Spill resistant. 108" (2743 mm) cord included. Mounting screw included. Silver. Field installed. ETL certified.</i>			
	6 x 6 x 3 ⅞	152 x 152 x 79	LGC-PCV1USB2P	642



Grommet-mounted flush round electrical / communication module	<i>Includes one electrical outlet and two 2.1A USB ports. Fits in the rectangular Lacasse grommet hole. 120VAC power outlet. Spill resistant. 108" (2746 mm) cord included. Mounting screw included. Silver. Field installed. ETL certified.</i>			
	5 ½ x 5 ¼ x 3 ⅞	133 x 133 x 79	LGC-PCV1USB1P	568



Wireless charger	<i>Compatible with any Qi rated devices and smartphones. Black tempered glass surface and stainless steel frame. 78" (1981 mm) cord included. The transformer is UL and CUL certified. Field installation, 3 ⅞" H (99 mm).</i>			
	3 ½ x 3 ½ x 1	88 x 88 x 25	LGC-CHARGE	758



COUPLERS


Voice coupler	<i>RJ11 coupler, category 3. Modular coupler to connect a standard phone. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	⅞ x ⅞ x 1 ⅞	14 x 16 x 30	LGC-RJ11	87




Data jack	<i>RJ-45 coupler, category 5. 110 connect jack used for internet and multi-line/VOIP phone systems. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	⅞ x ⅞ x 1 ⅞	16 x 16 x 30	LGC-RJ45	151



HDMI connector	<i>To connect to HD displays that accept HDMI feed. Female / female connection. 18" (457 mm) cord. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	⅞ x ⅞ x 1 ⅞	16 x 14 x 30	LGC-HDMI	173




VGA coupler	<i>Female-to-male connector cable. Device cable not included. 120" (3048 mm) cord included. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	1 ¼ x ¼ x 1 ½	33 x 12 x 37	LGC-VGA	173




USB 3.0 coupler	<i>Simultaneous read and write capability. Transfer speed of 5 gbs/sec. 72" (1829 mm) cord. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	⅞ x ⅞ x 1 ⅞	16 x 14 x 30	LGC-USBDATA	141



USB-A charging coupler	<i>USB-A connections for USB-powered device and charging mobile electronics. 2,000 mA of charging power. 72" (1829 mm) cord. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed. The transformer is UL and CUL certified.</i>			
	1 x 1 x 1 ⅞	26 x 26 x 30	LGC-USB	213



USB-C charging connector	<i>USB-C connection for USB-powered devices and for charging mobile electronic devices. 60W power. Cannot be used for data transfer. 72" L (1829 mm) cable with plug. Must be used with the adapters supplied with the selected accessories, plates or modules. Black or white. Field installation.</i>			
	1 x 1 x 1 ⅞	26 x 26 x 21	LGC-USBC60	452



Specify accent color (K, W).