



Get Your Bespoke Office Design Today

We'll Get You The Right Office Furniture

Call Now (856)-368-9085

Call Now To Order (856) 368-9085

50% OFF Sale On Now

Nationwide Delivery and Installation

Office Doctor Discount Office Furniture

[www.OfficeDr.com](http://www.OfficeDr.com) 856-368-9085

Groupe Lacasse Half Price Sale On Now

Take Half Off the List Prices in this PDF

**Call 856-368-9085 Now**

Free Layout & Design Service

Acrylic Screens

## LACASSE QUICKSHIP PROGRAM\*

Products and suggested layouts identified by this pictogram are part of the Lacasse quick delivery program.


\* Due to current market conditions, always refer to our Lead-Time Guide for a confirmation of our current Lacasse QuickShip lead-times.



This acrylic screens program is complementary to the different programs of our regular collections. It is therefore compatible with a multitude of work surfaces and configurations.


### ACRYLIC SCREENS – FOR ALL COLLECTIONS

**Freestanding screens, frosted** *Acrylic screen supported by silver finish metal stabilizing feet. The number of supports varies according to the dimensions.*



W x D x H (in)	W x D x H (mm)	Code		(\$)
72 x 1/4 x 24	1800 x 6,5 x 600	LGC-SCT7224		1,005
66 x 1/4 x 24	1650 x 6,5 x 600	LGC-SCT6624		953
60 x 1/4 x 24	1500 x 6,5 x 600	LGC-SCT6024		899
54 x 1/4 x 24	1350 x 6,5 x 600	LGC-SCT5424		848
48 x 1/4 x 24	1200 x 6,5 x 600	LGC-SCT4824		796
42 x 1/4 x 24	1050 x 6,5 x 600	LGC-SCT4224		753
36 x 1/4 x 24	900 x 6,5 x 600	LGC-SCT3624		710
30 x 1/4 x 24	750 x 6,5 x 600	LGC-SCT3024		668
24 x 1/4 x 24	600 x 6,5 x 600	LGC-SCT2424		627


**Freestanding screens, clear** *Acrylic screen supported by silver finish metal stabilizing feet. The number of supports varies according to the dimensions.*



Cut-out option: Add **D** at the end of the code. Not applicable on 24" and 30" wide screens.

72 x 1/4 x 24	1800 x 6,5 x 600	LGC-SCC7224		1,005
66 x 1/4 x 24	1650 x 6,5 x 600	LGC-SCC6624		953
60 x 1/4 x 24	1500 x 6,5 x 600	LGC-SCC6024		899
54 x 1/4 x 24	1350 x 6,5 x 600	LGC-SCC5424		848
48 x 1/4 x 24	1200 x 6,5 x 600	LGC-SCC4824		796
42 x 1/4 x 24	1050 x 6,5 x 600	LGC-SCC4224		753
36 x 1/4 x 24	900 x 6,5 x 600	LGC-SCC3624		710
30 x 1/4 x 24	750 x 6,5 x 600	LGC-SCC3024		668
24 x 1/4 x 24	600 x 6,5 x 600	LGC-SCC2424		627


**Fixed surface end screens, frosted** *Acrylic screen with silver finish metal clips for surface end. The number of supports varies according to the dimensions.*



For 1 1/2" (38 mm) thick surfaces, replace the 1 by a 5.

For 1" (25 mm) surfaces				
72 x 1/4 x 24	1800 x 6,5 x 600	LGC-SCE1T7224		1,005
66 x 1/4 x 24	1650 x 6,5 x 600	LGC-SCE1T6624		953
60 x 1/4 x 24	1500 x 6,5 x 600	LGC-SCE1T6024		899
54 x 1/4 x 24	1350 x 6,5 x 600	LGC-SCE1T5424		848
48 x 1/4 x 24	1200 x 6,5 x 600	LGC-SCE1T4824		796
42 x 1/4 x 24	1050 x 6,5 x 600	LGC-SCE1T4224		753
36 x 1/4 x 24	900 x 6,5 x 600	LGC-SCE1T3624		710
30 x 1/4 x 24	750 x 6,5 x 600	LGC-SCE1T3024		668
24 x 1/4 x 24	600 x 6,5 x 600	LGC-SCE1T2424		627

**Fixed surface end screens, clear** *Acrylic screen with silver finish metal clips for surface end. The number of supports varies according to the dimensions.*



For 1 1/2" (38 mm) thick surfaces, replace the 1 by a 5.

For 1" (25 mm) surfaces				
72 x 1/4 x 24	1800 x 6,5 x 600	LGC-SCE1C7224		1,005
66 x 1/4 x 24	1650 x 6,5 x 600	LGC-SCE1C6624		953
60 x 1/4 x 24	1500 x 6,5 x 600	LGC-SCE1C6024		899
54 x 1/4 x 24	1350 x 6,5 x 600	LGC-SCE1C5424		848
48 x 1/4 x 24	1200 x 6,5 x 600	LGC-SCE1C4824		796
42 x 1/4 x 24	1050 x 6,5 x 600	LGC-SCE1C4224		753
36 x 1/4 x 24	900 x 6,5 x 600	LGC-SCE1C3624		710
30 x 1/4 x 24	750 x 6,5 x 600	LGC-SCE1C3024		668
24 x 1/4 x 24	600 x 6,5 x 600	LGC-SCE1C2424		627

**Surface lateral screens** *Acrylic screen supported by silver finish metal stabilizing foot and clip.*




36 x 1/4 x 24	900 x 6,5 x 600	LGC-SCC_3624		710
30 x 1/4 x 24	750 x 6,5 x 600	LGC-SCC_3024		668
24 x 1/4 x 24	600 x 6,5 x 600	LGC-SCC_2424		627

Specify the frosted (T) or clear (C) finish for the acrylic screen.

W x D x H (in)    W x D x H (mm)    Code    (\$)

**Surface lateral screens, extended** *Acrylic screen supported by silver finish metal stabilizing foot and clip.*



15" (375 mm) extension				
51 x 1/4 x 24	1275 x 6,5 x 600	LGC-SCC_155124		848
45 x 1/4 x 24	1125 x 6,5 x 600	LGC-SCC_154524		796
39 x 1/4 x 24	975 x 6,5 x 600	LGC-SCC_153924		753

Specify the frosted (T) or clear (C) finish for the acrylic screen.

**Fixed surface end screens, extended**



*Acrylic screen with silver finish metal clips for surface end.*

15" (375 mm) extension				
51 x 1/4 x 24	1275 x 6,5 x 600	LGC-SCE1_155124		848
45 x 1/4 x 24	1125 x 6,5 x 600	LGC-SCE1_154524		796
39 x 1/4 x 24	975 x 6,5 x 600	LGC-SCE1_153924		753

Specify the frosted (T) or clear (C) finish for the acrylic screen.

For 1 1/2" (38 mm) thick surfaces, replace the 1 by a 5.

**Extension screens for 1" thick lateral gallery panels**



*Acrylic screen with mounted silver finish clips. The number of supports varies according to the dimension.*


16" (406 mm) high				
72 x 1/4 x 16	1800 x 6,5 x 406	LGC-SA_1672		623
66 x 1/4 x 16	1650 x 6,5 x 406	LGC-SA_1666		586
60 x 1/4 x 16	1500 x 6,5 x 406	LGC-SA_1660		549
54 x 1/4 x 16	1350 x 6,5 x 406	LGC-SA_1654		517
48 x 1/4 x 16	1200 x 6,5 x 406	LGC-SA_1648		488
42 x 1/4 x 16	1050 x 6,5 x 406	LGC-SA_1642		462
36 x 1/4 x 16	900 x 6,5 x 406	LGC-SA_1636		444
30 x 1/4 x 16	750 x 6,5 x 406	LGC-SA_1630		412
24 x 1/4 x 16	600 x 6,5 x 406	LGC-SA_1624		394
20 x 1/4 x 16	500 x 6,5 x 406	LGC-SA_1620		378

24" (600 mm) high

72 x 1/4 x 24	1800 x 6,5 x 600	LGC-SA_2472		785
66 x 1/4 x 24	1650 x 6,5 x 600	LGC-SA_2466		748
60 x 1/4 x 24	1500 x 6,5 x 600	LGC-SA_2460		712
54 x 1/4 x 24	1350 x 6,5 x 600	LGC-SA_2454		676
48 x 1/4 x 24	1200 x 6,5 x 600	LGC-SA_2448		640
42 x 1/4 x 24	1050 x 6,5 x 600	LGC-SA_2442		604
36 x 1/4 x 24	900 x 6,5 x 600	LGC-SA_2436		566
30 x 1/4 x 24	750 x 6,5 x 600	LGC-SA_2430		530
24 x 1/4 x 24	600 x 6,5 x 600	LGC-SA_2424		494
20 x 1/4 x 24	500 x 6,5 x 600	LGC-SA_2420		457

Specify the frosted (T) or clear (C) finish for the acrylic screen.

**Fixed surface screens** *Acrylic screen with mounted silver finish brackets underneath the surface. Compatible with C.I.T.E., Stad, Nex and Quorum Multiconference electric height adjustable tables or any other similar surfaces.*



70 x 1/4 x 24	1750 x 6,5 x 663	CNNNS-SCA_7024		938
64 x 1/4 x 24	1600 x 6,5 x 663	CNNNS-SCA_6424		900
58 x 1/4 x 24	1450 x 6,5 x 663	CNNNS-SCA_5824		864
52 x 1/4 x 24	1300 x 6,5 x 663	CNNNS-SCA_5224		827
46 x 1/4 x 24	1150 x 6,5 x 663	CNNNS-SCA_4624		788

Specify the frosted (T) or clear (C) finish for the acrylic screen.

**Fixed surface end lateral screens** *Acrylic screen with mounted silver finish brackets underneath the surface. Compatible with C.I.T.E., Stad, Nex and Quorum Multiconference electric height adjustable tables or any other similar surfaces.*



27 x 1/4 x 24	675 x 6,5 x 663	CNNNS-SCA_2724		724
24 x 1/4 x 24	600 x 6,5 x 663	CNNNS-SCA_2424		659

Specify the frosted (T) or clear (C) finish for the acrylic screen.


**End of single-sided surface screens for C.I.T.E.** *Acrylic screen supported by a silver finish L-shape bracket underneath the surface. Fits under the end of a single-sided surface from the C.I.T.E. collection.*



31 x 1/4 x 24	797 x 6,5 x 600	CNNNS-SCE_3124		1,534
---------------	-----------------	----------------	--	-------

Specify the frosted (T) or clear (C) finish for the acrylic screen.

**End of double-sided surface screens for C.I.T.E.** *Acrylic screen supported by silver finish L-shape brackets underneath the surface. Fits under the end of a double-sided surface from the C.I.T.E. collection.*



60 x 1/4 x 24	1500 x 6,5 x 600	CNNNS-SCE_6024		1,614
54 x 1/4 x 24	1350 x 6,5 x 600	CNNNS-SCE_5424		1,545

Specify the frosted (T) or clear (C) finish for the acrylic screen.


W x D x H (in)    W x D x H (mm)    Code    (\$)

## PANEL BASES WITH ACRYLIC SCREEN – ONLY FOR C.I.T.É.

**Double-sided end panel bases, frosted screen** *Full 1½" (38 mm) thick laminate end panels. Use with 1 double surface. Hardware included.*

90" W base compatible with 60" D surfaces.

84" W base compatible with 54" D surfaces.




Height: 53½" (1357 mm), including the 12½" (315 mm) H acrylic screen			
90 x 1½ x 53½	2250 x 38 x 1357	<b>CNNNS-LEDT9054</b>	<b>1,563</b>
84 x 1½ x 53½	2100 x 38 x 1357	<b>CNNNS-LEDT8454</b>	<b>1,502</b>
Height: 47½" (1207 mm), including the 8" (203 mm) H acrylic screen			
90 x 1½ x 47½	2250 x 38 x 1207	<b>CNNNS-LEDT9047</b>	<b>1,351</b>
84 x 1½ x 47½	2100 x 38 x 1207	<b>CNNNS-LEDT8447</b>	<b>1,288</b>

**Center panel bases for double-sided surfaces, frosted screen** *Full 1½" (38 mm) thick laminate end panels. Place at the junction of 2 double surfaces. Hardware included.*

90" W base compatible with 60" D surfaces.


84" W base compatible with 54" D surfaces.



Height: 53½" (1357 mm), including the 12½" (315 mm) H acrylic screen			
90 x 1½ x 53½	2250 x 38 x 1357	<b>CNNNS-LCDT9054</b>	<b>1,890</b>
84 x 1½ x 53½	2100 x 38 x 1357	<b>CNNNS-LCDT8454</b>	<b>1,829</b>
Height: 47½" (1207 mm), including the 8" (203 mm) H acrylic screen			
90 x 1½ x 47½	2250 x 38 x 1207	<b>CNNNS-LCDT9047</b>	<b>1,678</b>
84 x 1½ x 47½	2100 x 38 x 1207	<b>CNNNS-LCDT8447</b>	<b>1,616</b>

**Single-sided end panel bases, frosted screen** *Full 1½" (38 mm) thick laminate end panels. Use with 1 single surface. Hardware included.*

46" W base compatible with 30" D surfaces.




Height: 53½" (1357 mm), including the 12½" (315 mm) H acrylic screen			
46 x 1½ x 53½	1172 x 38 x 1357	<b>CNNNS-LEST4654</b>	<b>1,021</b>
Height: 47½" (1207 mm), including the 8" (203 mm) H acrylic screen			
46 x 1½ x 47½	1172 x 38 x 1207	<b>CNNNS-LEST4647</b>	<b>905</b>

**Choose left or right, add L or R at the end of the code.**

**Center panel bases for single-sided surfaces, frosted screen** *Full 1½" (38 mm) thick laminate end panels. Place at the junction of 2 single surfaces. Hardware included.*

46" W base compatible with 30" D surfaces.



Height: 53½" (1357 mm), including the 12½" (315 mm) H acrylic screen			
46 x 1½ x 53½	1172 x 38 x 1357	<b>CNNNS-LCST4654</b>	<b>1,172</b>
Height: 47½" (1207 mm), including the 8" (203 mm) H acrylic screen			
46 x 1½ x 47½	1172 x 38 x 1207	<b>CNNNS-LCST4647</b>	<b>1,059</b>