

Office Doctor Discount Office Furniture

www.OfficeDr.com 856-368-9085

Groupe Lacasse Half Price Sale On Now

Take Half Off the List Prices in this PDF

Call 856-368-9085 Now

Free Layout & Design Service

Options Series





Double pedestal desks

2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 36 x 29	2100 x 900 x 738	0___-F3684F	2,522	2,984
72 x 36 x 29	1800 x 900 x 738	0___-F3672F	2,331	2,801
72 x 30 x 29	1800 x 750 x 738	0___-F3072F	2,247	2,708
66 x 30 x 29	1650 x 750 x 738	0___-F3066F	2,144	2,580
60 x 30 x 29	1500 x 750 x 738	0___-F3060F	2,062	2,471

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

84 x 36 x 29½	2100 x 900 x 751	0___-F3684F	2,859	3,392
72 x 36 x 29½	1800 x 900 x 751	0___-F3672F	2,674	3,213
72 x 30 x 29½	1800 x 750 x 751	0___-F3072F	2,580	3,117
66 x 30 x 29½	1650 x 750 x 751	0___-F3066F	2,489	2,993
60 x 30 x 29½	1500 x 750 x 751	0___-F3060F	2,397	2,885

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bow front single pedestal desks

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 42 x 29	1800 x 1050 x 738	0___-UF4272SA	2,547	3,051
72 x 42 x 29½	1800 x 1050 x 751	0___-UF4272SA	2,898	3,484

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bow front single pedestal desks

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 42 x 29	1800 x 1050 x 738	0___-S4272UFA	2,547	3,051
72 x 42 x 29½	1800 x 1050 x 751	0___-S4272UFA	2,898	3,484

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Single pedestal desks

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29	1800 x 900 x 738	0___-UF3672S	2,144	2,530
72 x 30 x 29	1800 x 750 x 738	0___-UF3072S	2,062	2,430
66 x 30 x 29	1650 x 750 x 738	0___-UF3066S	1,968	2,306
60 x 30 x 29	1500 x 750 x 738	0___-UF3060S	1,878	2,195

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	0___-UF3672S	2,456	2,891
72 x 30 x 29½	1800 x 750 x 751	0___-UF3072S	2,355	2,801
66 x 30 x 29½	1650 x 750 x 751	0___-UF3066S	2,271	2,674
60 x 30 x 29½	1500 x 750 x 751	0___-UF3060S	2,190	2,573

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Single pedestal desks

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29	1800 x 900 x 738	0___-S3672UF	2,144	2,530
72 x 30 x 29	1800 x 750 x 738	0___-S3072UF	2,062	2,430
66 x 30 x 29	1650 x 750 x 738	0___-S3066UF	1,968	2,306
60 x 30 x 29	1500 x 750 x 738	0___-S3060UF	1,878	2,195

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	0___-S3672UF	2,456	2,891
72 x 30 x 29½	1800 x 750 x 751	0___-S3072UF	2,355	2,801
66 x 30 x 29½	1650 x 750 x 751	0___-S3066UF	2,271	2,674
60 x 30 x 29½	1500 x 750 x 751	0___-S3060UF	2,190	2,573

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bow front single pedestal desks

1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 42 x 29	1800 x 1050 x 738	0___-F4272SA	2,271	2,719
72 x 42 x 29½	1800 x 1050 x 751	0___-F4272SA	2,565	3,075

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bow front single pedestal desks

1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 42 x 29	1800 x 1050 x 738	0___-S4272FA	2,271	2,719
72 x 42 x 29½	1800 x 1050 x 751	0___-S4272FA	2,565	3,075

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Single pedestal desks

1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29	1800 x 900 x 738	0___-F3672S	1,878	2,254
72 x 30 x 29	1800 x 750 x 738	0___-F3072S	1,785	2,164
66 x 30 x 29	1650 x 750 x 738	0___-F3066S	1,693	2,028
60 x 30 x 29	1500 x 750 x 738	0___-F3060S	1,608	1,928

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	0___-F3672S	2,179	2,615
72 x 30 x 29½	1800 x 750 x 751	0___-F3072S	2,088	2,530
66 x 30 x 29½	1650 x 750 x 751	0___-F3066S	1,995	2,397
60 x 30 x 29½	1500 x 750 x 751	0___-F3060S	1,921	2,298

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Single pedestal desks

1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29	1800 x 900 x 738	0___-S3672F	1,878	2,254
72 x 30 x 29	1800 x 750 x 738	0___-S3072F	1,785	2,164
66 x 30 x 29	1650 x 750 x 738	0___-S3066F	1,693	2,028
60 x 30 x 29	1500 x 750 x 738	0___-S3060F	1,608	1,928


Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Single pedestal desks (cont'd)	72 x 36 x 29½	1800 x 900 x 751	O_ _ -S3672F	2,179	2,615
	72 x 30 x 29½	1800 x 750 x 751	O_ _ -S3072F	2,088	2,530
	66 x 30 x 29½	1650 x 750 x 751	O_ _ -S3066F	1,995	2,397
	60 x 30 x 29½	1500 x 750 x 751	O_ _ -S3060F	1,921	2,298

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Desk shells



Recessed, full-height modesty panel. Full-width wire access. Can accommodate 1 or 2 pedestals.

72 x 36 x 29	1800 x 900 x 738	O_N_-TDM3672	1,229	1,726
72 x 30 x 29	1800 x 750 x 738	O_N_-TDM3072	1,146	1,619
66 x 30 x 29	1650 x 750 x 738	O_N_-TDM3066	1,096	1,534
60 x 30 x 29	1500 x 750 x 738	O_N_-TDM3060	1,056	1,476

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O_N_-TDM3672	1,419	1,986
72 x 30 x 29½	1800 x 750 x 751	O_N_-TDM3072	1,341	1,887
66 x 30 x 29½	1650 x 750 x 751	O_N_-TDM3066	1,274	1,794
60 x 30 x 29½	1500 x 750 x 751	O_N_-TDM3060	1,229	1,726

Specify the surface type (5, 6). Specify the accent color (A, S).

Corner modules



To attach to a work surface. Keyboard surface adjusts from 6½" below surface to 7" above surface with a tilt angle of +/- 15 degrees. Adjustable keyboard surface is 1" thick. Grommet. Full-width wiring access on both back panels. Mechanism packaged separately.

Diagonal wood grain: change last S to D, add 10% to the price.


With adjustable keyboard surface.

48 x 48 x 29	1200 x 1200 x 738	O_N_-CMS4830SC	2,680	3,092
42 x 42 x 29	1050 x 1050 x 738	O_N_-CMS4224SC	2,573	2,917


Specify the surface type (1, 2). Specify the accent color (A, S).

48 x 48 x 29½	1200 x 1200 x 751	O_N_-CMS4830SC	3,142	3,333
42 x 42 x 29½	1050 x 1050 x 751	O_N_-CMS4224SC	3,035	3,226

Specify the surface type (5, 6). Specify the accent color (A, S).



To attach to a work surface. Grommet. Full-width wiring access on both back panels.




48 x 48 x 29	1200 x 1200 x 738	O_N_-CM4830S	1,268	1,785
42 x 42 x 29	1050 x 1050 x 738	O_N_-CM4224S	1,123	1,566
36 x 36 x 29	900 x 900 x 738	O_N_-CM3618SC	1,089	1,526

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

48 x 48 x 29½	1200 x 1200 x 751	O_N_-CM4830S	1,491	2,095
42 x 42 x 29½	1050 x 1050 x 751	O_N_-CM4224S	1,341	1,878
36 x 36 x 29½	900 x 900 x 751	O_N_-CM3618SC	1,241	1,743

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Left extended corner modules



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Grommet. Full-width wiring access on both back panels.</i>				
		Surface	R1	R2
		72"/48"	29½" (750 mm)	5½" (150 mm)
		66"/48"	23½" (600 mm)	5½" (150 mm)
		60"/48"	17½" (450 mm)	5½" (150 mm)
		72"/42"	29½" (750 mm)	
		66"/42"	23½" (600 mm)	
		60"/42"	17½" (450 mm)	
		72"/36"	17½" (450 mm)	
		66"/36"	11¾" (300 mm)	
		60"/36"	5½" (150 mm)	


72 x 48 x 29	1800 x 1200 x 738	O_N_-CM724824_	1,758	2,466
66 x 48 x 29	1650 x 1200 x 738	O_N_-CM664824_	1,669	2,331
60 x 48 x 29	1500 x 1200 x 738	O_N_-CM604824_	1,566	2,203
72 x 42 x 29	1800 x 1050 x 738	O_N_-CM724224_	1,669	2,331
66 x 42 x 29	1650 x 1050 x 738	O_N_-CM664224_	1,566	2,203
60 x 42 x 29	1500 x 1050 x 738	O_N_-CM604224_	1,483	2,081
72 x 36 x 29	1800 x 900 x 738	O_N_-CM723624_	1,566	2,203
66 x 36 x 29	1650 x 900 x 738	O_N_-CM663624_	1,409	1,980
60 x 36 x 29	1500 x 900 x 738	O_N_-CM603624_	1,325	1,843

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 48 x 29½	1800 x 1200 x 751	O_N_-CM724824_	2,028	2,849
66 x 48 x 29½	1650 x 1200 x 751	O_N_-CM664824_	1,944	2,719
60 x 48 x 29½	1500 x 1200 x 751	O_N_-CM604824_	1,843	2,591
72 x 42 x 29½	1800 x 1050 x 751	O_N_-CM724224_	1,944	2,719
66 x 42 x 29½	1650 x 1050 x 751	O_N_-CM664224_	1,843	2,591
60 x 42 x 29½	1500 x 1050 x 751	O_N_-CM604224_	1,758	2,466
72 x 36 x 29½	1800 x 900 x 751	O_N_-CM723624_	1,700	2,388
66 x 36 x 29½	1650 x 900 x 751	O_N_-CM663624_	1,619	2,262
60 x 36 x 29½	1500 x 900 x 751	O_N_-CM603624_	1,510	2,110

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

Right extended corner modules



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Grommet. Full-width wiring access on both back panels.</i>				
		Surface	R1	R2
		72"/48"	29½" (750 mm)	5½" (150 mm)
		66"/48"	23½" (600 mm)	5½" (150 mm)
		60"/48"	17½" (450 mm)	5½" (150 mm)
		72"/42"	29½" (750 mm)	
		66"/42"	23½" (600 mm)	
		60"/42"	17½" (450 mm)	
		72"/36"	17½" (450 mm)	
		66"/36"	11¾" (300 mm)	
		60"/36"	5½" (150 mm)	

72 x 48 x 29	1800 x 1200 x 738	O_N_-CM487224_	1,758	2,466
66 x 48 x 29	1650 x 1200 x 738	O_N_-CM486624_	1,669	2,331
60 x 48 x 29	1500 x 1200 x 738	O_N_-CM486024_	1,566	2,203
72 x 42 x 29	1800 x 1050 x 738	O_N_-CM427224_	1,669	2,331
66 x 42 x 29	1650 x 1050 x 738	O_N_-CM426624_	1,566	2,203
60 x 42 x 29	1500 x 1050 x 738	O_N_-CM426024_	1,483	2,081
72 x 36 x 29	1800 x 900 x 738	O_N_-CM367224_	1,566	2,203
66 x 36 x 29	1650 x 900 x 738	O_N_-CM366624_	1,409	1,980
60 x 36 x 29	1500 x 900 x 738	O_N_-CM366024_	1,325	1,843


Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right extended corner modules (cont'd)	72 x 48 x 29½	1800 x 1200 x 751	O_N_-CM487224_	2,028	2,849
	66 x 48 x 29½	1650 x 1200 x 751	O_N_-CM486624_	1,944	2,719
	60 x 48 x 29½	1500 x 1200 x 751	O_N_-CM486024_	1,843	2,591
	72 x 42 x 29½	1800 x 1050 x 751	O_N_-CM427224_	1,944	2,719
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-CM426624_	1,843	2,591
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-CM426024_	1,758	2,466
	72 x 36 x 29½	1800 x 900 x 751	O_N_-CM367224_	1,700	2,388
	66 x 36 x 29½	1650 x 900 x 751	O_N_-CM366624_	1,619	2,262
	60 x 36 x 29½	1500 x 900 x 751	O_N_-CM366024_	1,510	2,110

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

Rectangular tables 30" D




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular tables 30" D	<i>Full-width wire access.</i>				
	72 x 30 x 29	1800 x 750 x 738	O_N_-DT3072_	1,184	1,661
	66 x 30 x 29	1650 x 750 x 738	O_N_-DT3066_	1,146	1,608
	60 x 30 x 29	1500 x 750 x 738	O_N_-DT3060_	1,089	1,526
	54 x 30 x 29	1350 x 750 x 738	O_N_-DT3054_	1,048	1,467
	48 x 30 x 29	1200 x 750 x 738	O_N_-DT3048_	980	1,190
	42 x 30 x 29	1050 x 750 x 738	O_N_-DT3042_	938	1,132
	36 x 30 x 29	900 x 750 x 738	O_N_-DT3036_	890	1,074
	30 x 30 x 29	750 x 750 x 738	O_N_-DT3030_	846	1,023
	24 x 30 x 29	600 x 750 x 738	O_N_-DT3024_	788	948

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 30 x 29½	1800 x 750 x 751	O_N_-DT3072_	1,382	1,944
66 x 30 x 29½	1650 x 750 x 751	O_N_-DT3066_	1,341	1,878
60 x 30 x 29½	1500 x 750 x 751	O_N_-DT3060_	1,274	1,794
54 x 30 x 29½	1350 x 750 x 751	O_N_-DT3054_	1,229	1,726
48 x 30 x 29½	1200 x 750 x 751	O_N_-DT3048_	1,146	1,375
42 x 30 x 29½	1050 x 750 x 751	O_N_-DT3042_	1,089	1,315
36 x 30 x 29½	900 x 750 x 751	O_N_-DT3036_	1,048	1,249
30 x 30 x 29½	750 x 750 x 751	O_N_-DT3030_	980	1,190
24 x 30 x 29½	600 x 750 x 751	O_N_-DT3024_	938	1,132

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

Rectangular tables 24" D




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular tables 24" D	<i>Full-width wire access.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_N_-DT2472_	1,146	1,608
	66 x 24 x 29	1650 x 600 x 738	O_N_-DT2466_	1,089	1,526
	60 x 24 x 29	1500 x 600 x 738	O_N_-DT2460_	1,048	1,467
	54 x 24 x 29	1350 x 600 x 738	O_N_-DT2454_	980	1,388
	48 x 24 x 29	1200 x 600 x 738	O_N_-DT2448_	938	1,132
	42 x 24 x 29	1050 x 600 x 738	O_N_-DT2442_	890	1,074
	36 x 24 x 29	900 x 600 x 738	O_N_-DT2436_	846	1,023
	30 x 24 x 29	750 x 600 x 738	O_N_-DT2430_	788	948
	24 x 24 x 29	600 x 600 x 738	O_N_-DT2424_	753	905

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular tables 24" D (cont'd)	72 x 24 x 29½	1800 x 600 x 751	O_N_-DT2472_	1,274	1,794
	66 x 24 x 29½	1650 x 600 x 751	O_N_-DT2466_	1,229	1,726
	60 x 24 x 29½	1500 x 600 x 751	O_N_-DT2460_	1,184	1,661
	54 x 24 x 29½	1350 x 600 x 751	O_N_-DT2454_	1,146	1,608
	48 x 24 x 29½	1200 x 600 x 751	O_N_-DT2448_	1,048	1,249
	42 x 24 x 29½	1050 x 600 x 751	O_N_-DT2442_	980	1,190
	36 x 24 x 29½	900 x 600 x 751	O_N_-DT2436_	938	1,132
	30 x 24 x 29½	750 x 600 x 751	O_N_-DT2430_	890	1,074
	24 x 24 x 29½	600 x 600 x 751	O_N_-DT2424_	846	1,023

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

Left asymmetrical tables, 30" D




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left asymmetrical tables, 30" D	<i>To attach to a work surface. Full-width wire access.</i>				
				Surface	R1
				54"/30"	35 3/8"
				48"/30"	29 1/2"
				42"/30"	23 1/2"
				36"/30"	17 3/8"
				30"/30"	11 3/8"
	54 x 30 x 29	1350 x 750 x 738	O_N_-AT245430_	1,023	1,426
	48 x 30 x 29	1200 x 750 x 738	O_N_-AT244830_	963	1,172
	42 x 30 x 29	1050 x 750 x 738	O_N_-AT244230_	920	1,114
	36 x 30 x 29	900 x 750 x 738	O_N_-AT243630_	881	1,062
	30 x 30 x 29	750 x 750 x 738	O_N_-AT243030_	830	1,012

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

54 x 30 x 29½	1350 x 750 x 751	O_N_-AT245430_	1,198	1,686
48 x 30 x 29½	1200 x 750 x 751	O_N_-AT244830_	1,096	1,325
42 x 30 x 29½	1050 x 750 x 751	O_N_-AT244230_	1,062	1,274
36 x 30 x 29½	900 x 750 x 751	O_N_-AT243630_	1,023	1,223
30 x 30 x 29½	750 x 750 x 751	O_N_-AT243030_	963	1,172

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Right asymmetrical tables, 30" D



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right asymmetrical tables, 30" D	<i>To attach to a work surface. Full-width wire access.</i>				
				Surface	R1
				54"/30"	35 3/8"
				48"/30"	29 1/2"
				42"/30"	23 1/2"
				36"/30"	17 3/8"
				30"/30"	11 3/8"
	54 x 30 x 29	1350 x 750 x 738	O_N_-AT305424_	1,023	1,426
	48 x 30 x 29	1200 x 750 x 738	O_N_-AT304824_	963	1,172
	42 x 30 x 29	1050 x 750 x 738	O_N_-AT304224_	920	1,114
	36 x 30 x 29	900 x 750 x 738	O_N_-AT303624_	881	1,062
	30 x 30 x 29	750 x 750 x 738	O_N_-AT303024_	830	1,012

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

54 x 30 x 29½	1350 x 750 x 751	O_N_-AT305424_	1,198	1,686
48 x 30 x 29½	1200 x 750 x 751	O_N_-AT304824_	1,096	1,325
42 x 30 x 29½	1050 x 750 x 751	O_N_-AT304224_	1,062	1,274
36 x 30 x 29½	900 x 750 x 751	O_N_-AT303624_	1,023	1,223
30 x 30 x 29½	750 x 750 x 751	O_N_-AT303024_	963	1,172


Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).



Left asymmetrical tables, 24" D



To attach to a work surface. Full-width wire access.



Surface	R1
54"/24"	35 ³ / ₈ "
48"/24"	29 ¹ / ₂ "
42"/24"	23 ¹ / ₂ "
36"/24"	17 ³ / ₈ "
30"/24"	11 ⁵ / ₈ "


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
54 x 24 x 29	1350 x 600 x 738	O_N_-AT185424_	963	1,370
48 x 24 x 29	1200 x 600 x 738	O_N_-AT184824_	920	1,114
42 x 24 x 29	1050 x 600 x 738	O_N_-AT184224_	881	1,062
36 x 24 x 29	900 x 600 x 738	O_N_-AT183624_	830	1,012
30 x 24 x 29	750 x 600 x 738	O_N_-AT183024_	788	948

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).


54 x 24 x 29½	1350 x 600 x 751	O_N_-AT185424_	1,159	1,627
48 x 24 x 29½	1200 x 600 x 751	O_N_-AT184824_	1,062	1,274
42 x 24 x 29½	1050 x 600 x 751	O_N_-AT184224_	1,023	1,223
36 x 24 x 29½	900 x 600 x 751	O_N_-AT183624_	963	1,172
30 x 24 x 29½	750 x 600 x 751	O_N_-AT183024_	920	1,114

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Right asymmetrical tables, 24" D



To attach to a work surface. Full-width wire access.



Surface	R1
54"/24"	35 ³ / ₈ "
48"/24"	29 ¹ / ₂ "
42"/24"	23 ¹ / ₂ "
36"/24"	17 ³ / ₈ "
30"/24"	11 ⁵ / ₈ "


54 x 24 x 29	1350 x 600 x 738	O_N_-AT245418_	963	1,370
48 x 24 x 29	1200 x 600 x 738	O_N_-AT244818_	920	1,114
42 x 24 x 29	1050 x 600 x 738	O_N_-AT244218_	881	1,062
36 x 24 x 29	900 x 600 x 738	O_N_-AT243618_	830	1,012
30 x 24 x 29	750 x 600 x 738	O_N_-AT243018_	788	948

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

54 x 24 x 29½	1350 x 600 x 751	O_N_-AT245418_	1,159	1,627
48 x 24 x 29½	1200 x 600 x 751	O_N_-AT244818_	1,062	1,274
42 x 24 x 29½	1050 x 600 x 751	O_N_-AT244218_	1,023	1,223
36 x 24 x 29½	900 x 600 x 751	O_N_-AT243618_	963	1,172
30 x 24 x 29½	750 x 600 x 751	O_N_-AT243018_	920	1,114

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Left D-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	O_N_-CB844824_	1,928	2,689
78 x 48 x 29	1950 x 1200 x 738	O_N_-CB784824_	1,830	2,565
72 x 48 x 29	1800 x 1200 x 738	O_N_-CB724824_	1,736	2,430
84 x 42 x 29	2100 x 1050 x 738	O_N_-CB844224_	1,830	2,565
78 x 42 x 29	1950 x 1050 x 738	O_N_-CB784224_	1,736	2,430
72 x 42 x 29	1800 x 1050 x 738	O_N_-CB724224_	1,648	2,306

Specify the surface type (1, 2). Specify the accent color (A, S).

Left D-shaped extended corner modules (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 48 x 29½	2100 x 1200 x 751	O_N_-CB844824_	2,195	3,075
78 x 48 x 29½	1950 x 1200 x 751	O_N_-CB784824_	2,103	2,942
72 x 48 x 29½	1800 x 1200 x 751	O_N_-CB724824_	2,011	2,814
84 x 42 x 29½	2100 x 1050 x 751	O_N_-CB844224_	2,103	2,942
78 x 42 x 29½	1950 x 1050 x 751	O_N_-CB784224_	2,011	2,814
72 x 42 x 29½	1800 x 1050 x 751	O_N_-CB724224_	1,928	2,689

Specify the surface type (5, 6). Specify the accent color (A, S).

Right D-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.


84 x 48 x 29	2100 x 1200 x 738	O_N_-C4884824_	1,928	2,689
78 x 48 x 29	1950 x 1200 x 738	O_N_-C487824_	1,830	2,565
72 x 48 x 29	1800 x 1200 x 738	O_N_-C487224_	1,736	2,430
84 x 42 x 29	2100 x 1050 x 738	O_N_-C428424_	1,830	2,565
78 x 42 x 29	1950 x 1050 x 738	O_N_-C427824_	1,736	2,430
72 x 42 x 29	1800 x 1050 x 738	O_N_-C427224_	1,648	2,306

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 48 x 29½	2100 x 1200 x 751	O_N_-C4884824_	2,195	3,075
78 x 48 x 29½	1950 x 1200 x 751	O_N_-C487824_	2,103	2,942
72 x 48 x 29½	1800 x 1200 x 751	O_N_-C487224_	2,011	2,814
84 x 42 x 29½	2100 x 1050 x 751	O_N_-C428424_	2,103	2,942
78 x 42 x 29½	1950 x 1050 x 751	O_N_-C427824_	2,011	2,814
72 x 42 x 29½	1800 x 1050 x 751	O_N_-C427224_	1,928	2,689

Specify the surface type (5, 6). Specify the accent color (A, S).

Left D-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.


84 x 48 x 29	2100 x 1200 x 738	O_N_-CBM844824_	2,144	2,917
78 x 48 x 29	1950 x 1200 x 738	O_N_-CBM784824_	2,062	2,790
72 x 48 x 29	1800 x 1200 x 738	O_N_-CBM724824_	1,968	2,653
84 x 42 x 29	2100 x 1050 x 738	O_N_-CBM844224_	2,062	2,790
78 x 42 x 29	1950 x 1050 x 738	O_N_-CBM784224_	1,968	2,653
72 x 42 x 29	1800 x 1050 x 738	O_N_-CBM724224_	1,878	2,540

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 48 x 29½	2100 x 1200 x 751	O_N_-CBM844824_	2,422	3,304
78 x 48 x 29½	1950 x 1200 x 751	O_N_-CBM784824_	2,331	3,175
72 x 48 x 29½	1800 x 1200 x 751	O_N_-CBM724824_	2,247	3,051
84 x 42 x 29½	2100 x 1050 x 751	O_N_-CBM844224_	2,331	3,175
78 x 42 x 29½	1950 x 1050 x 751	O_N_-CBM784224_	2,247	3,051
72 x 42 x 29½	1800 x 1050 x 751	O_N_-CBM724224_	2,144	2,917

Specify the surface type (5, 6). Specify the accent color (A, S).

Right D-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	O_N_-C4884824_	2,144	2,917
78 x 48 x 29	1950 x 1200 x 738	O_N_-C487824_	2,062	2,790
72 x 48 x 29	1800 x 1200 x 738	O_N_-C487224_	1,968	2,653
84 x 42 x 29	2100 x 1050 x 738	O_N_-C428424_	2,062	2,790
78 x 42 x 29	1950 x 1050 x 738	O_N_-C427824_	1,968	2,653
72 x 42 x 29	1800 x 1050 x 738	O_N_-C427224_	1,878	2,540

Specify the surface type (1, 2). Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right D-shaped extended corner modules with modesty panel (cont'd)	84 x 48 x 29½	2100 x 1200 x 751	O_N_-C4884BM24	2,422	3,304
	78 x 48 x 29½	1950 x 1200 x 751	O_N_-C4878BM24	2,331	3,175
	72 x 48 x 29½	1800 x 1200 x 751	O_N_-C4872BM24	2,247	3,051
	84 x 42 x 29½	2100 x 1050 x 751	O_N_-C4284BM24	2,331	3,175
	78 x 42 x 29½	1950 x 1050 x 751	O_N_-C4278BM24	2,247	3,051
	72 x 42 x 29½	1800 x 1050 x 751	O_N_-C4272BM24	2,144	2,917

Specify the surface type (5, 6). Specify the accent color (A, S).

Left P-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.


84 x 60 x 29	2100 x 1500 x 738	O_N_-CP844824	2,011	2,814
78 x 60 x 29	1950 x 1500 x 738	O_N_-CP784824	1,928	2,689
72 x 60 x 29	1800 x 1500 x 738	O_N_-CP724824	1,830	2,565
84 x 54 x 29	2100 x 1350 x 738	O_N_-CP844224	1,928	2,689
78 x 54 x 29	1950 x 1350 x 738	O_N_-CP784224	1,830	2,565
72 x 54 x 29	1800 x 1350 x 738	O_N_-CP724224	1,736	2,430

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	O_N_-CP844824	2,287	3,203
78 x 60 x 29½	1950 x 1500 x 751	O_N_-CP784824	2,195	3,075
72 x 60 x 29½	1800 x 1500 x 751	O_N_-CP724824	2,103	2,942
84 x 54 x 29½	2100 x 1350 x 751	O_N_-CP844224	2,195	3,075
78 x 54 x 29½	1950 x 1350 x 751	O_N_-CP784224	2,103	2,942
72 x 54 x 29½	1800 x 1350 x 751	O_N_-CP724224	2,011	2,814

Specify the surface type (5, 6). Specify the accent color (A, S).

Right P-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

84 x 60 x 29	2100 x 1500 x 738	O_N_-C4884P24	2,011	2,814
78 x 60 x 29	1950 x 1500 x 738	O_N_-C4878P24	1,928	2,689
72 x 60 x 29	1800 x 1500 x 738	O_N_-C4872P24	1,830	2,565
84 x 54 x 29	2100 x 1350 x 738	O_N_-C4284P24	1,928	2,689
78 x 54 x 29	1950 x 1350 x 738	O_N_-C4278P24	1,830	2,565
72 x 54 x 29	1800 x 1350 x 738	O_N_-C4272P24	1,736	2,430

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	O_N_-C4884P24	2,287	3,203
78 x 60 x 29½	1950 x 1500 x 751	O_N_-C4878P24	2,195	3,075
72 x 60 x 29½	1800 x 1500 x 751	O_N_-C4872P24	2,103	2,942
84 x 54 x 29½	2100 x 1350 x 751	O_N_-C4284P24	2,195	3,075
78 x 54 x 29½	1950 x 1350 x 751	O_N_-C4278P24	2,103	2,942
72 x 54 x 29½	1800 x 1350 x 751	O_N_-C4272P24	2,011	2,814

Specify the surface type (5, 6). Specify the accent color (A, S).

Left P-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 60 x 29	2100 x 1500 x 738	O_N_-CPM844824	2,247	3,051
78 x 60 x 29	1950 x 1500 x 738	O_N_-CPM784824	2,144	2,917
72 x 60 x 29	1800 x 1500 x 738	O_N_-CPM724824	2,062	2,790
84 x 54 x 29	2100 x 1350 x 738	O_N_-CPM844224	2,144	2,917
78 x 54 x 29	1950 x 1350 x 738	O_N_-CPM784224	2,062	2,790
72 x 54 x 29	1800 x 1350 x 738	O_N_-CPM724224	1,968	2,653

Specify the surface type (1, 2). Specify the accent color (A, S).

Left P-shaped extended corner modules with modesty panel (cont'd)




Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left P-shaped extended corner modules with modesty panel (cont'd)	84 x 60 x 29½	2100 x 1500 x 751	O_N_-CPM844824	2,522	3,437
	78 x 60 x 29½	1950 x 1500 x 751	O_N_-CPM784824	2,422	3,304
	72 x 60 x 29½	1800 x 1500 x 751	O_N_-CPM724824	2,331	3,175
	84 x 54 x 29½	2100 x 1350 x 751	O_N_-CPM844224	2,422	3,304
	78 x 54 x 29½	1950 x 1350 x 751	O_N_-CPM784224	2,331	3,175
	72 x 54 x 29½	1800 x 1350 x 751	O_N_-CPM724224	2,247	3,051

Specify the surface type (5, 6). Specify the accent color (A, S).

Right P-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. Modesty panel. 6" diameter steel leg.


84 x 60 x 29	2100 x 1500 x 738	O_N_-C4884PM24	2,247	3,051
78 x 60 x 29	1950 x 1500 x 738	O_N_-C4878PM24	2,144	2,917
72 x 60 x 29	1800 x 1500 x 738	O_N_-C4872PM24	2,062	2,790
84 x 54 x 29	2100 x 1350 x 738	O_N_-C4284PM24	2,144	2,917
78 x 54 x 29	1950 x 1350 x 738	O_N_-C4278PM24	2,062	2,790
72 x 54 x 29	1800 x 1350 x 738	O_N_-C4272PM24	1,968	2,653

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	O_N_-C4884PM24	2,522	3,437
78 x 60 x 29½	1950 x 1500 x 751	O_N_-C4878PM24	2,422	3,304
72 x 60 x 29½	1800 x 1500 x 751	O_N_-C4872PM24	2,331	3,175
84 x 54 x 29½	2100 x 1350 x 751	O_N_-C4284PM24	2,422	3,304
78 x 54 x 29½	1950 x 1350 x 751	O_N_-C4278PM24	2,331	3,175
72 x 54 x 29½	1800 x 1350 x 751	O_N_-C4272PM24	2,247	3,051

Specify the surface type (5, 6). Specify the accent color (A, S).

D-shaped tables



Packaged in 2 boxes.

To attach to a work surface. Grommet. 6" diameter steel leg.

72 x 36 x 29	1800 x 900 x 738	O_N_-BT3672	1,341	1,878
66 x 36 x 29	1650 x 900 x 738	O_N_-BT3666	1,306	1,819
60 x 36 x 29	1500 x 900 x 738	O_N_-BT3660	1,249	1,758
72 x 30 x 29	1800 x 750 x 738	O_N_-BT3072	1,249	1,758
66 x 30 x 29	1650 x 750 x 738	O_N_-BT3066	1,190	1,669
60 x 30 x 29	1500 x 750 x 738	O_N_-BT3060	1,146	1,608
72 x 24 x 29	1800 x 600 x 738	O_N_-BT2472	1,146	1,608
66 x 24 x 29	1650 x 600 x 738	O_N_-BT2466	1,096	1,534
60 x 24 x 29	1500 x 600 x 738	O_N_-BT2460	1,048	1,467

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O_N_-BT3672	1,619	2,262
66 x 36 x 29½	1650 x 900 x 751	O_N_-BT3666	1,566	2,203
60 x 36 x 29½	1500 x 900 x 751	O_N_-BT3660	1,526	2,139
72 x 30 x 29½	1800 x 750 x 751	O_N_-BT3072	1,526	2,139
66 x 30 x 29½	1650 x 750 x 751	O_N_-BT3066	1,467	2,046
60 x 30 x 29½	1500 x 750 x 751	O_N_-BT3060	1,419	1,986
72 x 24 x 29½	1800 x 600 x 751	O_N_-BT2472	1,419	1,986
66 x 24 x 29½	1650 x 600 x 751	O_N_-BT2466	1,375	1,928
60 x 24 x 29½	1500 x 600 x 751	O_N_-BT2460	1,325	1,843

Specify the surface type (5, 6). Specify the accent color (A, S).

D-shaped tables with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Reversible modesty panel. 6" diameter steel leg. Grommet.


72 x 36 x 29	1800 x 900 x 738	O_N_-BTM3672	1,483	2,081
72 x 30 x 29	1800 x 750 x 738	O_N_-BTM3072	1,399	1,968
66 x 30 x 29	1650 x 750 x 738	O_N_-BTM3066	1,216	1,700

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O_N_-BTM3672	1,559	2,190
72 x 30 x 29½	1800 x 750 x 751	O_N_-BTM3072	1,491	2,095
66 x 30 x 29½	1650 x 750 x 751	O_N_-BTM3066	1,434	2,011

Specify the surface type (5, 6). Specify the accent color (A, S).




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left P-shaped tables 	<i>To attach to a work surface. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-PT3072	1,388	1,952
	66 x 42 x 29	1650 x 1050 x 738	O_N_-PT3066	1,358	1,902
	60 x 42 x 29	1500 x 1050 x 738	O_N_-PT3060	1,325	1,837

Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	O_N_-PT3072	1,669	2,331
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-PT3066	1,635	2,287
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-PT3060	1,591	2,236


Specify the surface type (1, 2). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right P-shaped tables 	<i>To attach to a work surface. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-3072PT	1,388	1,952
	66 x 42 x 29	1650 x 1050 x 738	O_N_-3066PT	1,358	1,902
	60 x 42 x 29	1500 x 1050 x 738	O_N_-3060PT	1,325	1,837

Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	O_N_-3072PT	1,669	2,331
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-3066PT	1,635	2,287
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-3060PT	1,591	2,236


Specify the surface type (1, 2). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left P-shaped tables with modesty panel 	<i>To attach to a work surface. Modesty panel. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-PTM3072	1,476	2,068
	66 x 42 x 29	1650 x 1050 x 738	O_N_-PTM3066	1,439	2,028
	60 x 42 x 29	1500 x 1050 x 738	O_N_-PTM3060	1,325	1,843

Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	O_N_-PTM3072	1,743	2,456
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-PTM3066	1,720	2,415
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-PTM3060	1,591	2,236


Specify the surface type (5, 6). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right P-shaped tables with modesty panel 	<i>To attach to a work surface. Modesty panel. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-3072PTM	1,476	2,068
	66 x 42 x 29	1650 x 1050 x 738	O_N_-3066PTM	1,439	2,028
	60 x 42 x 29	1500 x 1050 x 738	O_N_-3060PTM	1,325	1,843

Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	O_N_-3072PTM	1,743	2,456
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-3066PTM	1,720	2,415
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-3060PTM	1,591	2,236


Specify the surface type (5, 6). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Lateral file / bookcase credenzas 	<i>Full-width wire access. 2 file drawers with suspension bars. Bookcase unit with doors, 1 adjustable shelf. Locks.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-LF2472B	2,653	3,203

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-LF2472B	2,949	3,543
--	---------------	------------------	----------------------	--------------	--------------


Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double bookcase credenzas 	<i>Full-width wire access. 2 bookcases units with doors. Locks. 1 adjustable shelf on each side.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-B2472B	2,388	2,877

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-B2472B	2,689	3,226
--	---------------	------------------	---------------------	--------------	--------------


Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double lateral file credenzas 	<i>Full-width wire access. 4 file drawers with suspension bars. Locks. Optional counterweights to meet BIFMA standards, refer to page 108.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-LF2472LF	2,949	3,543

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-LF2472LF	3,243	3,903
--	---------------	------------------	-----------------------	--------------	--------------


Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left lateral file credenzas 	<i>Full-width wire access. 2 file drawers with suspension bars. Lock.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-LF2472S	2,262	2,719
	66 x 24 x 29	1650 x 600 x 738	O_--_-LF2466S	2,170	2,597
	60 x 24 x 29	1500 x 600 x 738	O_--_-LF2460S	2,068	2,482

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-LF2472S	2,591	3,101
	66 x 24 x 29½	1650 x 600 x 751	O_--_-LF2466S	2,489	2,984
	60 x 24 x 29½	1500 x 600 x 751	O_--_-LF2460S	2,383	2,865


Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right lateral file credenzas 	<i>Full-width wire access. 2 file drawers with suspension bars. Lock.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-S2472LF	2,262	2,719
	66 x 24 x 29	1650 x 600 x 738	O_--_-S2466LF	2,170	2,597
	60 x 24 x 29	1500 x 600 x 738	O_--_-S2460LF	2,068	2,482

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-S2472LF	2,591	3,101
	66 x 24 x 29½	1650 x 600 x 751	O_--_-S2466LF	2,489	2,984
	60 x 24 x 29½	1500 x 600 x 751	O_--_-S2460LF	2,383	2,865

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Lateral file credenzas 	<i>Open space on top and 2 file drawers on bottom with suspension bars. Locks. Full-width wire access. Optional counterweights to meet BIFMA standards, refer to page 108.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-SLF2472	2,230	2,674


Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-SLF2472	2,522	3,025
--	---------------	------------------	----------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).



Double pedestal credenzas low profile




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 2 pedestals with locks. 4 box drawers and 2 file drawers with suspension bars. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -UF2472UF	2,719	3,261
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -UF2466UF	2,698	3,232
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -UF2460UF	2,648	3,203

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -UF2472UF	3,043	3,652
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -UF2466UF	3,025	3,630
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -UF2460UF	2,974	3,570

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Double pedestal credenzas




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -F2472F	2,170	2,604
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -F2466F	2,144	2,580
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -F2460F	2,103	2,530

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -F2472F	2,489	2,993
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -F2466F	2,471	2,960
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -F2460F	2,422	2,909

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Left single pedestal credenzas low profile




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -UF2472S	1,952	2,287
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -UF2466S	1,921	2,247
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -UF2460S	1,857	2,190

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -UF2472S	2,203	2,597
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -UF2466S	2,164	2,547
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -UF2460S	2,120	2,497

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Right single pedestal credenzas




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -S2472UF	1,952	2,287
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -S2466UF	1,921	2,247
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -S2460UF	1,857	2,190

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -S2472UF	2,203	2,597
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -S2466UF	2,164	2,547
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -S2460UF	2,120	2,497

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Left single pedestal credenzas



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -F2472S	1,676	2,011
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -F2466S	1,641	1,968
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -F2460S	1,591	1,921


Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Left single pedestal credenzas (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -F2472S	1,995	2,397
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -F2466S	1,957	2,347
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -F2460S	1,921	2,298

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Right single pedestal credenzas




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -S2472F	1,676	2,011
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -S2466F	1,641	1,968
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -S2460F	1,591	1,921

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -S2472F	1,995	2,397
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -S2466F	1,957	2,347
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -S2460F	1,921	2,298

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).


Open bookcase credenzas



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 adjustable shelf on each side. Full-width wire access.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ N _ -BE2472BE	1,912	2,287
66 x 24 x 29	1650 x 600 x 738	O _ N _ -BE2466BE	1,843	2,236
60 x 24 x 29	1500 x 600 x 738	O _ N _ -BE2460BE	1,758	2,144

Specify the surface type (5, 6). Specify the accent color (A, S).

Left open bookcase credenzas



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 adjustable shelf. Full-width wire access.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ N _ -BE2472S	1,758	2,110
66 x 24 x 29	1650 x 600 x 738	O _ N _ -BE2466S	1,676	2,028
60 x 24 x 29	1500 x 600 x 738	O _ N _ -BE2460S	1,591	1,944

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ N _ -BE2472S	1,938	2,320
66 x 24 x 29½	1650 x 600 x 751	O _ N _ -BE2466S	1,843	2,236
60 x 24 x 29½	1500 x 600 x 751	O _ N _ -BE2460S	1,758	2,144

Specify the surface type (5, 6). Specify the accent color (A, S).

Right open bookcase credenzas



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 adjustable shelf. Full-width wire access.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ N _ -S2472BE	1,758	2,110
66 x 24 x 29	1650 x 600 x 738	O _ N _ -S2466BE	1,676	2,028
60 x 24 x 29	1500 x 600 x 738	O _ N _ -S2460BE	1,591	1,944

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ N _ -S2472BE	1,938	2,320
66 x 24 x 29½	1650 x 600 x 751	O _ N _ -S2466BE	1,843	2,236
60 x 24 x 29½	1500 x 600 x 751	O _ N _ -S2460BE	1,758	2,144

Specify the surface type (5, 6). Specify the accent color (A, S).

Return shells



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Reversible. 1 grommet. Can accommodate 1 pedestal.</i>				
48 x 24 x 29	1200 x 600 x 738	O _ N _ -R2448S	782	932
42 x 24 x 29	1050 x 600 x 738	O _ N _ -R2442S	753	905
36 x 24 x 29	900 x 600 x 738	O _ N _ -R2436S	713	864

Specify the surface type (1, 2). Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	O _ N _ -R2448S	998	1,198
42 x 24 x 29½	1050 x 600 x 751	O _ N _ -R2442S	948	1,146
36 x 24 x 29½	900 x 600 x 751	O _ N _ -R2436S	890	1,074

Specify the surface type (5, 6). Specify the accent color (A, S).



Left executive returns low profile



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-UF2448R	1,648	1,928
42 x 24 x 29	1050 x 600 x 738	0___-UF2442R	1,559	1,830
36 x 24 x 29	900 x 600 x 738	0___-UF2436R	1,491	1,736

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0___-UF2448R	1,819	2,129
42 x 24 x 29½	1050 x 600 x 751	0___-UF2442R	1,736	2,028
36 x 24 x 29½	900 x 600 x 751	0___-UF2436R	1,669	1,952

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Right executive returns low profile



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-R2448UF	1,648	1,928
42 x 24 x 29	1050 x 600 x 738	0___-R2442UF	1,559	1,830
36 x 24 x 29	900 x 600 x 738	0___-R2436UF	1,491	1,736

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0___-R2448UF	1,819	2,129
42 x 24 x 29½	1050 x 600 x 751	0___-R2442UF	1,736	2,028
36 x 24 x 29½	900 x 600 x 751	0___-R2436UF	1,669	1,952

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Right executive returns



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-R2448F	1,375	1,648
42 x 24 x 29	1050 x 600 x 738	0___-R2442F	1,281	1,550
36 x 24 x 29	900 x 600 x 738	0___-R2436F	1,216	1,467

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0___-R2448F	1,541	1,851
42 x 24 x 29½	1050 x 600 x 751	0___-R2442F	1,467	1,758
36 x 24 x 29½	900 x 600 x 751	0___-R2436F	1,388	1,676

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Left executive returns




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-F2448R	1,375	1,648
42 x 24 x 29	1050 x 600 x 738	0___-F2442R	1,281	1,550
36 x 24 x 29	900 x 600 x 738	0___-F2436R	1,216	1,467

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0___-F2448R	1,541	1,851
42 x 24 x 29½	1050 x 600 x 751	0___-F2442R	1,467	1,758
36 x 24 x 29½	900 x 600 x 751	0___-F2436R	1,388	1,676

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bridge returns




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Grommet. Full-height modesty panel.</i>				
48 x 24 x 29	1200 x 600 x 738	0_N_-BR2448	629	760
42 x 24 x 29	1050 x 600 x 738	0_N_-BR2442	586	704
36 x 24 x 29	900 x 600 x 738	0_N_-BR2436	553	664

Specify the surface type (1, 2). Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0_N_-BR2448	772	920
42 x 24 x 29½	1050 x 600 x 751	0_N_-BR2442	738	881
36 x 24 x 29½	900 x 600 x 751	0_N_-BR2436	696	846

Specify the surface type (5, 6). Specify the accent color (A, S).

Hutches with doors and pigeonholes



Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.

72 x 16 x 44	1800 x 400 x 1096	01N_-E724416PD	2,313	-
66 x 16 x 44	1650 x 400 x 1096	01N_-E664416PD	2,236	-
60 x 16 x 44	1500 x 400 x 1096	01N_-E604416PD	2,144	-
54 x 16 x 44	1350 x 400 x 1096	01N_-E544416PD	2,062	-
48 x 16 x 44	1200 x 400 x 1096	01N_-E484416PD	1,980	-
42 x 16 x 44	1050 x 400 x 1096	01N_-E424416PD	1,887	-
36 x 16 x 44	900 x 400 x 1096	01N_-E364416PD	1,794	-


72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05N_-E724416PD	2,506	-
66 x 16 x 44	1650 x 400 x 1096	05N_-E664416PD	2,415	-
60 x 16 x 44	1500 x 400 x 1096	05N_-E604416PD	2,331	-
54 x 16 x 44	1350 x 400 x 1096	05N_-E544416PD	2,247	-
48 x 16 x 44	1200 x 400 x 1096	05N_-E484416PD	2,120	-
42 x 16 x 44	1050 x 400 x 1096	05N_-E424416PD	2,028	-
36 x 16 x 44	900 x 400 x 1096	05N_-E364416PD	1,944	-

Specify the accent color (A, S). To be used with 1½" surfaces.

Hutches with translucent doors and pigeonholes – 44" H



Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.

72 x 16 x 44	1800 x 400 x 1096	01NS-E724416TD	3,175	-
66 x 16 x 44	1650 x 400 x 1096	01NS-E664416TD	3,101	-
60 x 16 x 44	1500 x 400 x 1096	01NS-E604416TD	3,010	-
54 x 16 x 44	1350 x 400 x 1096	01NS-E544416TD	2,708	-
48 x 16 x 44	1200 x 400 x 1096	01NS-E484416TD	2,624	-
42 x 16 x 44	1050 x 400 x 1096	01NS-E424416TD	2,313	-
36 x 16 x 44	900 x 400 x 1096	01NS-E364416TD	2,230	-

72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors


Accent color S. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05NS-E724416TD	3,369	-
66 x 16 x 44	1650 x 400 x 1096	05NS-E664416TD	3,278	-
60 x 16 x 44	1500 x 400 x 1096	05NS-E604416TD	3,193	-
54 x 16 x 44	1350 x 400 x 1096	05NS-E544416TD	2,891	-
48 x 16 x 44	1200 x 400 x 1096	05NS-E484416TD	2,775	-
42 x 16 x 44	1050 x 400 x 1096	05NS-E424416TD	2,466	-
36 x 16 x 44	900 x 400 x 1096	05NS-E364416TD	2,372	-

Accent color S. To be used with 1½" surfaces.



Hutches with doors – 44" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20% (530 mm). Grommet. Full-width wire access. Adjustable shelves.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 44	1800 x 400 x 1096	01N_-E724416P	1,952	-
66 x 16 x 44	1650 x 400 x 1096	01N_-E664416P	1,857	-
60 x 16 x 44	1500 x 400 x 1096	01N_-E604416P	1,785	-
54 x 16 x 44	1350 x 400 x 1096	01N_-E544416P	1,693	-
48 x 16 x 44	1200 x 400 x 1096	01N_-E484416P	1,619	-
42 x 16 x 44	1050 x 400 x 1096	01N_-E424416P	1,517	-
36 x 16 x 44	900 x 400 x 1096	01N_-E364416P	1,426	-

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05N_-E724416P	2,139	-
66 x 16 x 44	1650 x 400 x 1096	05N_-E664416P	2,046	-
60 x 16 x 44	1500 x 400 x 1096	05N_-E604416P	1,968	-
54 x 16 x 44	1350 x 400 x 1096	05N_-E544416P	1,878	-
48 x 16 x 44	1200 x 400 x 1096	05N_-E484416P	1,758	-
42 x 16 x 44	1050 x 400 x 1096	05N_-E424416P	1,669	-
36 x 16 x 44	900 x 400 x 1096	05N_-E364416P	1,566	-

Specify the accent color (A, S). To be used with 1½" surfaces.

Hutches with translucent doors – 44" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20% (530 mm). Grommet. Full-width wire access.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 44	1800 x 400 x 1096	01NS-E724416T	2,814	-
66 x 16 x 44	1650 x 400 x 1096	01NS-E664416T	2,725	-
60 x 16 x 44	1500 x 400 x 1096	01NS-E604416T	2,648	-
54 x 16 x 44	1350 x 400 x 1096	01NS-E544416T	2,337	-
48 x 16 x 44	1200 x 400 x 1096	01NS-E484416T	2,262	-
42 x 16 x 44	1050 x 400 x 1096	01NS-E424416T	1,952	-
36 x 16 x 44	900 x 400 x 1096	01NS-E364416T	1,851	-

Accent color S. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05NS-E724416T	3,000	-
66 x 16 x 44	1650 x 400 x 1096	05NS-E664416T	2,909	-
60 x 16 x 44	1500 x 400 x 1096	05NS-E604416T	2,833	-
54 x 16 x 44	1350 x 400 x 1096	05NS-E544416T	2,522	-
48 x 16 x 44	1200 x 400 x 1096	05NS-E484416T	2,407	-
42 x 16 x 44	1050 x 400 x 1096	05NS-E424416T	2,095	-
36 x 16 x 44	900 x 400 x 1096	05NS-E364416T	2,003	-

Accent color S. To be used with 1½" surfaces.

Hutches with doors – 36" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 16¾" (426 mm). Grommet. Full-width wire access.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	01N_-E723616P	1,669	-
66 x 16 x 36	1650 x 400 x 893	01N_-E663616P	1,579	-
60 x 16 x 36	1500 x 400 x 893	01N_-E603616P	1,491	-
54 x 16 x 36	1350 x 400 x 893	01N_-E543616P	1,419	-
48 x 16 x 36	1200 x 400 x 893	01N_-E483616P	1,341	-
42 x 16 x 36	1050 x 400 x 893	01N_-E423616P	1,223	-
36 x 16 x 36	900 x 400 x 893	01N_-E363616P	1,108	-

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	05N_-E723616P	1,843	-
66 x 16 x 36	1650 x 400 x 893	05N_-E663616P	1,770	-
60 x 16 x 36	1500 x 400 x 893	05N_-E603616P	1,676	-
54 x 16 x 36	1350 x 400 x 893	05N_-E543616P	1,608	-
48 x 16 x 36	1200 x 400 x 893	05N_-E483616P	1,476	-
42 x 16 x 36	1050 x 400 x 893	05N_-E423616P	1,370	-
36 x 16 x 36	900 x 400 x 893	05N_-E363616P	1,241	-

Specify the accent color (A, S). To be used with 1½" surfaces.

Hutches with translucent doors – 36" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 16¾" (426 mm). Grommet. Full-width wire access.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	01NS-E723616T	2,530	-
66 x 16 x 36	1650 x 400 x 893	01NS-E663616T	2,438	-
60 x 16 x 36	1500 x 400 x 893	01NS-E603616T	2,355	-
54 x 16 x 36	1350 x 400 x 893	01NS-E543616T	2,062	-
48 x 16 x 36	1200 x 400 x 893	01NS-E483616T	1,986	-
42 x 16 x 36	1050 x 400 x 893	01NS-E423616T	1,661	-
36 x 16 x 36	900 x 400 x 893	01NS-E363616T	1,534	-

Accent color S. To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	05NS-E723616T	2,708	-
66 x 16 x 36	1650 x 400 x 893	05NS-E663616T	2,632	-
60 x 16 x 36	1500 x 400 x 893	05NS-E603616T	2,540	-
54 x 16 x 36	1350 x 400 x 893	05NS-E543616T	2,254	-
48 x 16 x 36	1200 x 400 x 893	05NS-E483616T	2,120	-
42 x 16 x 36	1050 x 400 x 893	05NS-E423616T	1,794	-
36 x 16 x 36	900 x 400 x 893	05NS-E363616T	1,676	-

Accent color S. To be used with 1½" surfaces.

Hutches with flipper doors




72" to 54": 2 doors
48" to 36": 1 door

Wire dividers included (2 per door). Can accommodate a tackboard, refer to page 107. Clearance: 16¾" (426 mm). Grommet. Full-width wire access. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	0NN_-E723616FD	1,669	-
66 x 16 x 36	1650 x 400 x 893	0NN_-E663616FD	1,579	-
60 x 16 x 36	1500 x 400 x 893	0NN_-E603616FD	1,491	-
54 x 16 x 36	1350 x 400 x 893	0NN_-E543616FD	1,419	-
48 x 16 x 36	1200 x 400 x 893	0NN_-E483616FD	1,341	-
42 x 16 x 36	1050 x 400 x 893	0NN_-E423616FD	1,223	-
36 x 16 x 36	900 x 400 x 893	0NN_-E363616FD	1,108	-

Specify the accent color (A, S).

Open hutches – 44" H



72" to 48": 4 shelves
42" to 36": 2 shelves

Adjustable shelves. Wire dividers included (1 per shelf). Can accommodate a tackboard, refer to page 107. Clearance: 20% (530 mm). Grommet. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 44	1800 x 400 x 1096	01N_-E724416	1,467	-
66 x 16 x 44	1650 x 400 x 1096	01N_-E664416	1,388	-
60 x 16 x 44	1500 x 400 x 1096	01N_-E604416	1,315	-
54 x 16 x 44	1350 x 400 x 1096	01N_-E544416	1,216	-
48 x 16 x 44	1200 x 400 x 1096	01N_-E484416	1,132	-
42 x 16 x 44	1050 x 400 x 1096	01N_-E424416	1,062	-
36 x 16 x 44	900 x 400 x 1096	01N_-E364416	1,012	-


Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05N_-E724416	1,648	-
66 x 16 x 44	1650 x 400 x 1096	05N_-E664416	1,566	-
60 x 16 x 44	1500 x 400 x 1096	05N_-E604416	1,491	-
54 x 16 x 44	1350 x 400 x 1096	05N_-E544416	1,399	-
48 x 16 x 44	1200 x 400 x 1096	05N_-E484416	1,268	-
42 x 16 x 44	1050 x 400 x 1096	05N_-E424416	1,198	-
36 x 16 x 44	900 x 400 x 1096	05N_-E364416	1,146	-

Specify the accent color (A, S). To be used with 1½" surfaces.



Open hutches – 36" H



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Wire dividers included. Can accommodate a tackboard, refer to page 107. Clearance: 16 3/4" (426 mm). Grommet. Full-width wire access.</i>				
72 x 16 x 36	1800 x 400 x 893	01N_-E723616	1,223	–
66 x 16 x 36	1650 x 400 x 893	01N_-E663616	1,159	–
60 x 16 x 36	1500 x 400 x 893	01N_-E603616	1,074	–
54 x 16 x 36	1350 x 400 x 893	01N_-E543616	980	–
48 x 16 x 36	1200 x 400 x 893	01N_-E483616	905	–
42 x 16 x 36	1050 x 400 x 893	01N_-E423616	810	–
36 x 16 x 36	900 x 400 x 893	01N_-E363616	760	–


Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	05N_-E723616	1,409	–
66 x 16 x 36	1650 x 400 x 893	05N_-E663616	1,341	–
60 x 16 x 36	1500 x 400 x 893	05N_-E603616	1,249	–
54 x 16 x 36	1350 x 400 x 893	05N_-E543616	1,172	–
48 x 16 x 36	1200 x 400 x 893	05N_-E483616	1,038	–
42 x 16 x 36	1050 x 400 x 893	05N_-E423616	948	–
36 x 16 x 36	900 x 400 x 893	05N_-E363616	896	–

Specify the accent color (A, S). To be used with 1 1/2" surfaces.



Wall-mounted hutches with laminate doors and pigeonholes



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.</i>				
72 x 16 x 22	1800 x 400 x 567	01N_-EM722216PD	2,230	–
66 x 16 x 22	1650 x 400 x 567	01N_-EM662216PD	2,144	–
60 x 16 x 22	1500 x 400 x 567	01N_-EM602216PD	2,062	–
54 x 16 x 22	1350 x 400 x 567	01N_-EM542216PD	1,980	–
48 x 16 x 22	1200 x 400 x 567	01N_-EM482216PD	1,894	–
42 x 16 x 22	1050 x 400 x 567	01N_-EM422216PD	1,794	–
36 x 16 x 22	900 x 400 x 567	01N_-EM362216PD	1,706	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05N_-EM722216PD	2,415	–
66 x 16 x 22	1650 x 400 x 580	05N_-EM662216PD	2,331	–
60 x 16 x 22	1500 x 400 x 580	05N_-EM602216PD	2,247	–
54 x 16 x 22	1350 x 400 x 580	05N_-EM542216PD	2,164	–
48 x 16 x 22	1200 x 400 x 580	05N_-EM482216PD	2,037	–
42 x 16 x 22	1050 x 400 x 580	05N_-EM422216PD	1,944	–
36 x 16 x 22	900 x 400 x 580	05N_-EM362216PD	1,851	–

Specify the accent color (A, S). To be used with 1 1/2" surfaces.

Wall-mounted hutches with translucent doors and pigeonholes



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.</i>				
72 x 16 x 22	1800 x 400 x 567	01NS-EM722216TD	3,092	–
66 x 16 x 22	1650 x 400 x 567	01NS-EM662216TD	3,010	–
60 x 16 x 22	1500 x 400 x 567	01NS-EM602216TD	2,924	–
54 x 16 x 22	1350 x 400 x 567	01NS-EM542216TD	2,624	–
48 x 16 x 22	1200 x 400 x 567	01NS-EM482216TD	2,540	–
42 x 16 x 22	1050 x 400 x 567	01NS-EM422216TD	2,230	–
36 x 16 x 22	900 x 400 x 567	01NS-EM362216TD	2,139	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05NS-EM722216TD	3,278	–
66 x 16 x 22	1650 x 400 x 580	05NS-EM662216TD	3,193	–
60 x 16 x 22	1500 x 400 x 580	05NS-EM602216TD	3,111	–
54 x 16 x 22	1350 x 400 x 580	05NS-EM542216TD	2,809	–
48 x 16 x 22	1200 x 400 x 580	05NS-EM482216TD	2,680	–
42 x 16 x 22	1050 x 400 x 580	05NS-EM422216TD	2,372	–
36 x 16 x 22	900 x 400 x 580	05NS-EM362216TD	2,287	–

Accent color S. To be used with 1 1/2" surfaces.

Wall-mounted hutches with doors



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Adjustable shelf. Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.</i>				
72 x 16 x 22	1800 x 400 x 567	01N_-EM722216P	1,865	–
66 x 16 x 22	1650 x 400 x 567	01N_-EM662216P	1,778	–
60 x 16 x 22	1500 x 400 x 567	01N_-EM602216P	1,698	–
54 x 16 x 22	1350 x 400 x 567	01N_-EM542216P	1,613	–
48 x 16 x 22	1200 x 400 x 567	01N_-EM482216P	1,533	–
42 x 16 x 22	1050 x 400 x 567	01N_-EM422216P	1,423	–
36 x 16 x 22	900 x 400 x 567	01N_-EM362216P	1,344	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05N_-EM722216P	2,055	–
66 x 16 x 22	1650 x 400 x 580	05N_-EM662216P	1,956	–
60 x 16 x 22	1500 x 400 x 580	05N_-EM602216P	1,881	–
54 x 16 x 22	1350 x 400 x 580	05N_-EM542216P	1,794	–
48 x 16 x 22	1200 x 400 x 580	05N_-EM482216P	1,675	–
42 x 16 x 22	1050 x 400 x 580	05N_-EM422216P	1,581	–
36 x 16 x 22	900 x 400 x 580	05N_-EM362216P	1,485	–

Specify the accent color (A, S). To be used with 1 1/2" surfaces.

Wall-mounted hutches with translucent doors



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.</i>				
72 x 16 x 22	1800 x 400 x 567	01NS-EM722216T	2,347	–
66 x 16 x 22	1650 x 400 x 567	01NS-EM662216T	2,262	–
60 x 16 x 22	1500 x 400 x 567	01NS-EM602216T	2,179	–
54 x 16 x 22	1350 x 400 x 567	01NS-EM542216T	1,887	–
48 x 16 x 22	1200 x 400 x 567	01NS-EM482216T	1,843	–
42 x 16 x 22	1050 x 400 x 567	01NS-EM422216T	1,517	–
36 x 16 x 22	900 x 400 x 567	01NS-EM362216T	1,399	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05NS-EM722216T	2,530	–
66 x 16 x 22	1650 x 400 x 580	05NS-EM662216T	2,438	–
60 x 16 x 22	1500 x 400 x 580	05NS-EM602216T	2,355	–
54 x 16 x 22	1350 x 400 x 580	05NS-EM542216T	2,110	–
48 x 16 x 22	1200 x 400 x 580	05NS-EM482216T	1,986	–
42 x 16 x 22	1050 x 400 x 580	05NS-EM422216T	1,661	–
36 x 16 x 22	900 x 400 x 580	05NS-EM362216T	1,534	–

Accent color S. To be used with 1 1/2" surfaces.

Wall-mounted hutches with flipper doors



72" to 54": 2 doors
48" to 36": 1 door

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Wire dividers included (2 per door). 1 tone only. Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.</i>				
72 x 16 x 17	1800 x 400 x 468	0NN_-EM721716D	1,483	–
66 x 16 x 17	1650 x 400 x 468	0NN_-EM661716D	1,399	–
60 x 16 x 17	1500 x 400 x 468	0NN_-EM601716D	1,315	–
54 x 16 x 17	1350 x 400 x 468	0NN_-EM541716D	1,229	–
48 x 16 x 17	1200 x 400 x 468	0NN_-EM481716D	1,198	–
42 x 16 x 17	1050 x 400 x 468	0NN_-EM421716D	1,089	–
36 x 16 x 17	900 x 400 x 468	0NN_-EM361716D	963	–

Specify the accent color (A, S).

Modular pedestal



2 box drawers, 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.

15 x 18 x 28	388 x 448 x 713	0N_-P1518UFL	1,259	–
--------------	-----------------	---------------------	--------------	---

Specify the handle code (B, L, Z). Specify the accent color (A, S).

Modular pedestal













2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.

15 x 18 x 28	388 x 448 x 713	0N_-P1518FFL	1,184	–
--------------	-----------------	---------------------	--------------	---

Specify the handle code (B, L, Z). Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Hanging pedestal 	<i>1 box drawer, 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.</i>				
	15 x 17½ x 19	388 x 448 x 503	ON__-F	1,012	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Modular lateral files 	<i>2 file drawers with suspension bars. Lock. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-1836FL	1,476	-
	30 x 18 x 28	750 x 448 x 713	ON__-1830FL	1,399	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined modular pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-1836COL	1,894	-
	30 x 18 x 28	750 x 448 x 713	ON__-1830COL	1,736	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined modular pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-C01836L	1,894	-
	30 x 18 x 28	750 x 448 x 713	ON__-C01830L	1,736	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Modular bookcase with doors 	<i>1 adjustable shelf. Lock. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-1836BL	1,159	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Mobile pedestals 	<i>2 box drawers, 1 file drawer with suspension bar. Brakes on front casters. Pencil tray. Lock. Fits under a work surface. 1 tone only.</i>				
	15¾ x 28 x 27	390 x 700 x 689	ON__-MP1528UF	1,375	-
	15¾ x 18 x 27	390 x 450 x 704	ON__-MP1518UF	1,358	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Mobile pedestals 	<i>1 box drawer, 1 file drawer with suspension bar. Brakes on front casters. Pencil tray. Lock. Fits under a work surface. 1 tone only.</i>				
	15¼ x 28 x 21½	388 x 700 x 527	ON__-MP1528F	1,341	-
	15¼ x 18 x 21½	388 x 450 x 527	ON__-MP1518F	1,306	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Lateral files 	<i>2 file drawers with suspension bars. Lock. Full-width wire access. Optional counterweights to meet BIFMA standards, refer to page 108.</i>				
	36 x 24 x 29	900 x 600 x 738	O__-2436LF	1,566	1,894
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	O__-2436LF	1,736	2,088
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Full-width wire access. Lock.</i>				
	36 x 24 x 29	900 x 600 x 738	O__-2436CO	1,986	2,129
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	O__-2436CO	2,190	2,347
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Full-width wire access. Lock.</i>				
	36 x 24 x 29	900 x 600 x 738	O__-C02436	1,986	2,129
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	O__-C02436	2,190	2,347
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				

Bookcases units with doors




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	<i>1 adjustable shelf. Full-width wire access. Lock.</i>				
	36 x 24 x 29	900 x 600 x 738	O__-2436B	1,358	1,635
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	O__-2436B	1,526	1,837
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				

Storage cabinets with laminate doors




	<i>3 adjustable shelves. 1 fixed shelf. Lock. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	O1__-243673B	2,466	-
	36 x 24 x 65	900 x 600 x 1632	O1__-243665B	2,372	-
	<i>To be used with 1½" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	O5__-243673B	2,708	-
	36 x 24 x 65	900 x 600 x 1645	O5__-243665B	2,615	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				

Storage cabinets with translucent doors




	<i>3 adjustable shelves. 1 full-width fixed shelf. Lock. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	O1_S-243673BT	3,578	-
	36 x 24 x 65	900 x 600 x 1632	O1_S-243665BT	3,493	-
	<i>To be used with 1½" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	O5_S-243673BT	3,832	-
	36 x 24 x 65	900 x 600 x 1645	O5_S-243665BT	3,735	-
	Specify the handle code (B, Z).				

Wardrobe / storage cabinets with laminate doors




	<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (15% W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	O1__-243673BC	2,372	-
	36 x 24 x 65	900 x 600 x 1632	O1__-243665BC	2,279	-
	<i>To be used with 1½" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	O5__-243673BC	2,615	-
	36 x 24 x 65	900 x 600 x 1645	O5__-243665BC	2,530	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				

Wardrobe / storage cabinets with translucent doors




	<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (15% W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	O1_S-243673BCT	3,756	-
	36 x 24 x 65	900 x 600 x 1632	O1_S-243665BCT	3,662	-
	<i>To be used with 1½" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	O5_S-243673BCT	3,999	-
	36 x 24 x 65	900 x 600 x 1645	O5_S-243665BCT	3,915	-
	Specify the handle code (B, Z).				

Storage / lateral file cabinets with laminate doors



	<i>2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	O1__-243673LFB	2,885	-
	36 x 24 x 65	900 x 600 x 1632	O1__-243665LFB	2,653	-
	<i>To be used with 1½" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	O5__-243673LFB	3,111	-
	36 x 24 x 65	900 x 600 x 1645	O5__-243665LFB	2,885	-
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				


Storage / lateral file cabinets with translucent doors




	<i>2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	O1_S-243673LFBT	3,570	-
	36 x 24 x 65	900 x 600 x 1632	O1_S-243665LFBT	3,356	-
	<i>To be used with 1½" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	O5_S-243673LFBT	3,796	-
	36 x 24 x 65	900 x 600 x 1645	O5_S-243665LFBT	3,570	-
	Specify the handle code (B, Z).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Wardrobe / storage cabinets with laminate doors				
<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1834	01__-243673UFB	3,067	—
36 x 24 x 65	900 x 600 x 1632	01__-243665UFB	2,849	—
<i>To be used with 1 1/2" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1847	05__-243673UFB	3,293	—
36 x 24 x 65	900 x 600 x 1645	05__-243665UFB	3,067	—
Specify the handle code (B, Z). Specify the accent color (A, S).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Combined storage cabinets with translucent doors				
<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1834	01_S-243673UFBT	4,100	—
36 x 24 x 65	900 x 600 x 1632	01_S-243665UFBT	3,890	—
<i>To be used with 1 1/2" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1847	05_S-243673UFBT	4,334	—
36 x 24 x 65	900 x 600 x 1645	05_S-243665UFBT	4,100	—
Specify the handle code (B, Z).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Wardrobe / storage cabinets with laminate doors				
<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1834	01__-243673BUF	3,067	—
36 x 24 x 65	900 x 600 x 1632	01__-243665BUF	2,849	—
<i>To be used with 1 1/2" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1847	05__-243673BUF	3,293	—
36 x 24 x 65	900 x 600 x 1645	05__-243665BUF	3,067	—
Specify the handle code (B, Z). Specify the accent color (A, S).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Combined storage cabinets with translucent doors				
<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1834	01_S-243673BUFT	4,100	—
36 x 24 x 65	900 x 600 x 1632	01_S-243665BUFT	3,890	—
<i>To be used with 1 1/2" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1847	05_S-243673BUFT	4,334	—
36 x 24 x 65	900 x 600 x 1645	05_S-243665BUFT	4,100	—
Specify the handle code (B, Z).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage / lateral file cabinets with laminate door				
<i>2 adjustable shelves. 2 file drawers with suspension bars. Reversible door. Lock on drawers. To be used with 1" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1834	01__-242473FB	2,320	—
24 x 24 x 65	600 x 600 x 1632	01__-242465FB	2,220	—
<i>To be used with 1 1/2" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1847	05__-242473FB	2,506	—
24 x 24 x 65	600 x 600 x 1645	05__-242465FB	2,397	—
Specify the handle code (B, Z). Specify the accent color (A, S).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage / lateral file cabinets with translucent door				
<i>2 adjustable shelves. 2 file drawers with suspension bars. Reversible door. Lock on drawers. To be used with 1" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1834	01_S-242473FBT	3,010	—
24 x 24 x 65	600 x 600 x 1632	01_S-242465FBT	2,909	—
<i>To be used with 1 1/2" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1847	05_S-242473FBT	3,193	—
24 x 24 x 65	600 x 600 x 1645	05_S-242465FBT	3,092	—
Specify the handle code (B, Z).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Wardrobe / storage cabinets with laminate door				
<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (10 1/4" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1834	01__-242473BC	2,146	—
24 x 24 x 65	600 x 600 x 1632	01__-242465BC	2,045	—
<i>To be used with 1 1/2" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1847	05__-242473BC	2,382	—
24 x 24 x 65	600 x 600 x 1645	05__-242465BC	2,266	—
Specify the handle code (B, Z). Specify the accent color (A, S). Specify opening at the end of the code: on right (R) or on left (L).				



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Wardrobe / storage cabinets with translucent door				
<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (10 1/4" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1834	01_S-242473BCT	2,482	—
24 x 24 x 65	600 x 600 x 1632	01_S-242465BCT	2,388	—
<i>To be used with 1 1/2" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1847	05_S-242473BCT	2,653	—
24 x 24 x 65	600 x 600 x 1645	05_S-242465BCT	2,573	—
Specify the handle code (B, Z). Specify opening at the end of the code: on right (R) or on left (L).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage cabinets with laminate door				
<i>4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1834	01__-242473B	2,146	—
24 x 24 x 65	600 x 600 x 1632	01__-242465B	2,045	—
<i>To be used with 1 1/2" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1847	05__-242473B	2,382	—
24 x 24 x 65	600 x 600 x 1645	05__-242465B	2,266	—
Specify the handle code (B, Z). Specify the accent color (A, S). Specify opening at the end of the code: on right (R) or on left (L).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage cabinets with translucent doors				
<i>4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1834	01_S-242473BT	2,482	—
24 x 24 x 65	600 x 600 x 1632	01_S-242465BT	2,388	—
<i>To be used with 1 1/2" surfaces.</i>				
24 x 24 x 73	600 x 600 x 1847	05_S-242473BT	2,653	—
24 x 24 x 65	600 x 600 x 1645	05_S-242465BT	2,573	—
Specify the handle code (B, Z). Specify opening at the end of the code: on right (R) or on left (L).				




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Open bookcases				
<i>73" H: 4 adjustable shelves. 65" H: 4 adjustable shelves. 48" H: 2 adjustable shelves. To be used with 1" surfaces.</i>				
36 x 14 x 73	900 x 350 x 1834	01NN-B367314	1,276	—
36 x 14 x 65	900 x 350 x 1632	01NN-B366514	1,164	—
36 x 14 x 48	900 x 350 x 1225	01NN-B364814	1,033	—
<i>To be used with 1 1/2" surfaces.</i>				
36 x 14 x 73	900 x 350 x 1847	05NN-B367314	1,419	—
36 x 14 x 65	900 x 350 x 1645	05NN-B366514	1,341	—
36 x 14 x 48	900 x 350 x 1238	05NN-B364814	1,198	—




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left personal storage towers				
<i>1 box drawer, 2 file drawers with suspension bars. Adjustable shelf on 57" H only. Wardrobe with clothes / hanger bar (7 1/4" W). Lock for the two file drawers. Lock on door.</i>				
24 x 24 x 57	600 x 600 x 1437	0N__-PB242457	2,917	—
24 x 24 x 49	600 x 600 x 1234	0N__-PB242449	2,783	—
Specify the handle code (B, Z). Specify the accent color (A, S).				







W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right personal storage towers				
<i>1 box drawer, 2 file drawers with suspension bars. Adjustable shelf on 57" H only. Wardrobe with clothes / hanger bar (7 1/4" W). Lock for the two file drawers. Lock on door.</i>				
24 x 24 x 57	600 x 600 x 1437	0N__-P242457B	2,917	—
24 x 24 x 49	600 x 600 x 1234	0N__-P242449B	2,783	—
Specify the handle code (B, Z). Specify the accent color (A, S).				








	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Round table tops	<i>1½" thick.</i>				
	48 x 48 x 1½	1200 x 1200 x 38	0_NN-R48	920	1,207
	42 x 42 x 1½	1050 x 1050 x 38	0_NN-R42	797	1,048
Specify the surface type (5, 6).					


Cross base	<i>1½" laminate thick base. For 48" diameter round table tops.</i>				
	33 x 33 x 28	825 x 825 x 713	LGC-CR33	696	—
					



Cross base	<i>1½" laminate thick base. For 42" diameter round table tops.</i>				
	27 x 27 x 28	680 x 680 x 713	LGC-CR27	614	—
					


6" diameter steel leg.	<i>Anthracite Grey (GAN) or Silver (ARS) steel. Specify the finish.</i>				
	6 x 6 x 28	150 x 150 x 710	LGC-TL	412	—


Serving carts	<i>1 sliding shelf, 11½" extension. 2 box drawers. 2 doors with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.</i>				
	36 x 21 x 36	900 x 520 x 908	0_ _-MS213636	2,095	2,725
Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).					
	36 x 21 x 36½	900 x 520 x 921	0_ _-MS213636	2,313	3,010
Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).					

Serving carts	<i>1 sliding shelf, 11½" extension. 1 box drawer. 1 door with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.</i>				
	20 x 21 x 36	500 x 520 x 908	0_ _-MS212036	1,350	1,758
Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).					
	20 x 21 x 36½	500 x 520 x 921	0_ _-MS212036	1,559	2,037
Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).					

Marker boards	<i>180° hinges. Board surface: white high-pressure laminate, non magnetic, for use with dry-erase markers. Eraser tray along bottom of board. Inside face of doors covered in natural cork.</i>				
	55 x 5 x 41	1368 x 130 x 1049	01_ _-VBX4054	2,179	—
Specify the handle code (B, L, Z). Specify the accent color (A, S).					
	55 x 5 x 42¼	1368 x 130 x 1075	05_ _-VBX4054	2,388	—
Specify the handle code (B, L, Z). Specify the accent color (A, S).					

Coffee tables	<i>Specify the surface type (1, 2).</i>				
	22 x 22 x 18	550 x 550 x 438	0_NN-ST222218	593	687
	22 x 22 x 18½	550 x 550 x 451	0_NN-ST222218	671	864
Specify the surface type (5, 6).					

Additional full-width legs	<i>1 tone only. For AT, DT and CM tables.</i>				
	24 x 1 x 27½	598 x 25 x 698	ONNN-L24	211	—
	30 x 1 x 27½	748 x 25 x 698	ONNN-L30	226	—

Additional full-width legs with wire access	<i>1 tone only. For AT, DT and CM tables.</i>				
	24 x 1 x 27½	598 x 25 x 698	ONNN-L24D	211	—
	30 x 1 x 27½	748 x 25 x 698	ONNN-L30D	226	—

Additional recessed leg



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Additional recessed leg	<i>1 tone only. For AT, DT and CM tables.</i>				
	13 x 1 x 27½	340 x 25 x 698	ONNN-L12	175	—